Jazzy®
POWER CHAIRS

America's Favorite Power Chair

Jazzy® Passport shown

The Jazzy® Power Chair is consumer-inspired and engineered to provide you with consistent high-performance operation you can count on. With a full line of high-performing Jazzy Power Chair models available and many accessories and options to choose from, there's a Jazzy to meet your unique needs and lifestyle.

Jazzy® POWER CHAIRS

What's Inside...

Models:
Non-Coded.....4-5
PDAC-Coded....6-8
Accessories.....9
Innovative Technology.....9
Specifications.....10-11

The Advantages of the Jazzy® Power Chair

When choosing a Jazzy Power Chair, specific requirements and conditions can affect your process...

Indoor Maneuverability
Compact and mid-wheel design offer Jazzy's legendary maneuverability.

Stability
Active-Trac® ATX Suspension for enhanced performance and comfort over more varied terrain.

Indoor/Outdoor Versatility
Jazzy power chairs are great for your lifestyle, indoors and out.

Increased Weight Capacity
Most full-size power chairs offer increased weight capacities.

Easy Portability
Portable Jazzy models offer easy disassembly for convenient transport.

Speed and Performance
Mid-wheel drive, Active-Trac ATX Suspension for increased speed and performance.

NON-CODED

Recipient of the 2018 HME Innovative Retail Product Award!

Jazzy Air® 2

- 300 lb. weight capacity
- Elevates up to 12" in 11 seconds
- Speeds up to 4 mph elevated and non-elevated
- Per charge range up to 16.8 miles with U-1 batteries and 19.2 miles with optional 40 Ah batteries
- Mid-wheel 6® Technology with Active-Trac® ATX Suspension
- Choice of 16" x 16"-18", 18" x18"-20" and 20" x 20"-22" depth-adjustable, fold-flat, high-back reclining sport seat
- 2" lower seat-to-floor height enables user to sit comfortably at a standard table or desk

Available Colors:

Onyx Black | Citrine Yellow | Pink Topaz | Pearl White

Silver | Sapphire Blue | Ruby Red

New Matte Colors:

Black Pearl | Tanzanite | Garnet Red

Now available with optional airline-approved travel battery

Jazzy® Passport

- 250 lb. weight capacity
- Speeds up to 3.6 mph
- Up to 11 miles per charge range
- Back seat pocket for extra storage while on-the-go
- Folds in a few simple steps for effortless transport
- Includes convenient, under seat mesh storage bag, mesh cup holder and 40" lap belt
- Large foot platform to accommodate the user's comfort
- Specialty foam seat design for extreme comfort

Available Color:

Pewter

Go Chair®

- #1 for portability
- 300 lb. weight capacity
- Faster speed up to 3.7 mph
- Up to 13 miles per charge range
- Dual swing-away, under seat storage bins for convenient storage of personal items
- One hand feather-touch disassembly
- Heaviest piece is only 36 lbs.

Go Chair® shown disassembled

Under seat storage

Transport

Feather-touch disassembly for easy, lightweight travel options.

Available Colors:

Sapphire Blue | Ruby Red | Rose Quartz | Amber Orange | Citrine Yellow | Pearl White

Jazzy® Sport 2

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 13 miles per charge range
- Front-wheel drive for enhanced maneuverability

Available Colors:

Jazzy Red | Jazzy Blue

Jazzy® Elite ES-1

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 12 miles per charge range
- Front-wheel drive

Available Colors:

Candy Apple Red

Viper Blue

Jazzy® Elite ES Portable

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 11 miles per charge range
- Easily disassembles into 5 pieces for convenient transport
- Front-wheel drive

Available Colors:

Candy Apple Red

Viper Blue

Jazzy® Elite ES

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 15 miles per charge range
- Front-wheel drive

Available Colors:

Candy Apple Red

Viper Blue

PDAC-CODED

Jazzy Select® Elite

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 15 miles per charge range
- Front-wheel drive

Available Colors:

Jazzy Red | Jazzy Blue

Jazzy Select® 6 2.0

- 300 lb. weight capacity
- Speeds up to 4.3 mph
- Up to 19 miles per charge range
- Mid-Wheel 6® Technology with Active-Trac® ATX Suspension

Available Colors:

Sapphire Blue | Ruby Red | Onyx Black | Pearl White

Jazzy Select® 6

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 15 miles per charge range
- Mid-Wheel 6® Technology with Active-Trac® ATX Suspension

Available Colors:

Jazzy Red | Jazzy Blue

Jazzy® Elite 14

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 9.8 miles per charge range
- 14" drive wheels for enhanced outdoor performance

Available Colors:

Jazzy Red | Jazzy Blue

PDAC-CODED

Jazzy® 600 ES

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 17 miles per charge range
- Mid-Wheel 6® Technology with Active-Trac® ATX Suspension

Available Colors:

Cardinal Red

Jazzy® Elite HD

- 450 lb. weight capacity
- Speeds up to 4 mph
- Up to 9.8 miles per charge range
- Front wheel drive

Available Colors:

Jazzy Red

Jazzy Blue

Jazzy® 614 HD

- 450 lb. weight capacity
- Speeds up to 4.25 mph
- Up to 11 miles per charge range
- Mid-Wheel 6® Technology with Active-Trac® ATX Suspension

Available Colors:

Candy Apple Red

Viper Blue

Jazzy® 1450

- 600 lb. weight capacity
- Speeds up to 4.5 mph
- Up to 15.7 miles per charge range
- Aggressive front-wheel drive performance

Available Colors:

Candy Apple Red

Viper Blue

Innovative Technology

Jazzy Air® 2 features seating that elevates 12" in just 11 seconds to primary standing height, allowing exceptional access to your environment. Extra Stability Technology mechanically stabilizes the power base when elevated, creating ultimate security to safely drive up to 4 mph at walking height.

Mid-Wheel 6® Technology with Active-Trac® ATX Suspension offers the highest levels of performance and maneuverability while easily and smoothly climbing transitions and obstacles. This patented technology allows the active front casters to both lift when climbing a threshold, while also dropping down for stability when descending.

In-line motor technology offers enhanced torque, battery range and reliability for the most dependable performance.

Consumer-inspired and real-world proven, Jazzy® offers innovative technologies you can count on.

Accessories

A wide selection of accessories are available to personalize your Jazzy® and make it uniquely yours.

Cup Holder

Jazzy Weather Cover

Saddle Bag

XLR USB Charger

Rear Mount Cane/Crutch Holder

Walker Holder

Elevating Leg Rests

Cell Phone Holder

Swing-Away Leg Rests

Heel Loops

Safety Flag

Swing-Away Joystick

Rear Basket

Oxygen Holder

Lap Belt (additional sizes)



Military Patches

DISCLAIMER: Not all accessories are available for all products. Please speak with your provider for details and availability.

Specifications

	MODEL	Weight Capacity	Turning Radius[1]	Width[1]	Length[1,2]	Maximum Speed[3]	Ground Clearance[1]	Front Wheels	Drive Wheels	Rear Wheels	Drivetrain	Suspension Type	High-Back Seat (max. size)	High-Back Seat-to-Floor Range
NON-CODED	JAZZY AIR®2	300 lbs.	24.25"	23.19"	41.93"	Up to 4.0 mph (elevated and non-elevated position)	1" at motor bracket	6" flat free	10" flat free	6" solid flat free	2-motor, Mid-Wheel 6® drive	Active-Trac® (ATX) with Mid-Wheel 6® Technology	20"W x 20"-22"D	21.25" - 33"
	GO CHAIR®	300 lbs.	25.5"	22.5"	28.5"	Up to 3.7 mph	1.75"	6" solid casters	9" solid	3" solid anti-tips	2-motor, RWD	Limited	N/A	N/A
	JAZZY® PASSPORT	250 lbs.	24.25"	23.5"	40"	Up to 3.6 mph	3"	8" solid casters	12" Pneumatic drive	N/A	2x 180W brushed motors	Limited	N/A	19"
PDAC CODED	JAZZY® SPORT 2	300 lbs.	24.75"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid casters	9"	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY® ELITE ES-1	300 lbs.	23.5"	22.75"	34.75"	Up to 4 mph	0.75"	5" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY® ELITE ES PORTABLE	300 lbs.	25.5"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY® ELITE ES	300 lbs.	24.75"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY SELECT®	300 lbs.	22.5"	23.74"	44"	Up to 4.3 mph	0.75" at motor bracket	5" solid	10" solid	5.75" solid casters	2-motor, Mid-Wheel 6® drive	Active-Trac® (ATX)	20"W x 20"D	21"-22"
	JAZZY SELECT® ELITE	300 lbs.	24.75"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY SELECT® 6 2.0	300 lbs.	21.875"	23.5"	35.375"	Up to 4 mph	1.77"	6" flat free	10" flat free	6" flat free	2-motor, Mid-Wheel 6® drive	Active-Trac® (ATX) with Mid-Wheel 6® Technology	20"W x 20"D	21.5"-23.25"
	JAZZY SELECT® 6	300 lbs.	21.875"	23.5"	35.375"	Up to 4 mph	1.75"	6" solid casters	10" solid	6" solid casters	2-motor, in-line, MWD	Active-Trac® (ATX)	20"W x 20"D	21.5"-23.25"
	JAZZY® ELITE 14	300 lbs.	24"	24.25"	35.5"	Up to 4 mph	3"	3" solid anti-tips	14"	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	20"-22"
	JAZZY® 600 ES	300 lbs.	20.5"	24.5"	35.5"	Up to 4 mph	2.75"	6" solid OMNI-casters	14"	6" solid OMNIcast-ers	2-motor, in-line, MWD	Active-Trac® (ATX)	20"W x 20"D	20.5"-22.5"
	JAZZY® ELITE HD	450 lbs.	24"	24.25"	35.5"	Up to 4 mph	3"	3" solid anti-tips	14" solid	6" solid casters	2-motor, in-line, FWD	Limited	24"W x 24"D	20"-22"
	JAZZY® 614 HD	450 lbs.	22.75"	25.25"	35.5"	Up to 4.25 mph	2.25"	6" solid casters	14"	6" solid casters	2-motor, in-line, MW6®	Active-Trac® (ATX)	24"W x 24"D	20.5"-23.5"
	JAZZY® 1450	600 lbs.	26.5"	29.25"	38.25"	Up to 4.5 mph	1.5"	4" solid anti-tips	14" solid	9" solid casters	2-motor, FWD	Swing Arm	32"W x 28"D	20.5"-22.5"

1 Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of + or – 3 %. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.
2 Without front riggings.
3 Varies with user weight, terrain, battery type, battery condition and tire pressure.
4 40A, PG 6-key VR2 required with Power Elevating Seat Option.
5 Does not include seat or battery weights.
6 Tested in accordance with ANSI/RESNA, WC Vol. 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Testing conducted at maximum weight capacities. This specification can be subject to a variance of +10%, –5%.

Synergy® Seating	Synergy® Seat-to-Floor Range	Power Elevating Seat[7]	Standard Electronics	Battery Size (2 required)	Standard Battery Charger	Per-Charge Range[3,6]	Battery Weight[9]	Weight of Heaviest Piece[5]	Standard Seat Weight	Standard Seat Size	HCPCS Codes	Warranty
N/A	N/A	Std.	40A, PG VR2	12 volt, U-1 (std.), 40 Ah (optional)	5A, off-board	Up to 16.8 miles (U-1), Up to 19.2 miles (40 Ah)	24.5 lbs. each (U-1), 32.5 lbs. each (40 Ah)	180 lbs. (with seat)[9]	41 lbs.	16" x 16" - 18", 18" x 18" - 20", 20" x 20" - 22"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/ drive motors
N/A	N/A	N/A	40A, PG GC3	18 AH, 12V deep-cycle	2A, off-board	Up to 8.7 miles (300 lbs.) Up to 13.2 miles (200 lbs.)	14 lbs. each	36 lbs.	30 lbs. compact, foldable	18" x 17"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	50A, PG VSI	(1) 24V 18Ah lithium ion (std.) (1) 25.2V 10.4Ah lithium ion travel battery (optional)	2A, off-board	Up to 9.6 miles (std.), 5.7 miles (optional travel battery) (250 lbs.) Up to 11 miles (200 lbs.)	7 lbs.	54 lbs. (unit doesn't disassemble)[10]	N/A	17.5" x 16.5"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 13 miles	25 lbs. each	69 lbs.	43 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 12 miles	25 lbs. each	69 lbs.	43 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 1: Std. (K0816)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 11 miles	25 lbs. each	48 lbs.	43 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., Portable (K0820/K0821)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 15 miles	25 lbs. each	69 lbs.	43 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 19.4 miles	25.2 lbs. each	94 lbs.	51.4 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	17.25"-19.25"	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 15 miles	25 lbs. each	69 lbs.	43 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	16.5"-18.5"	Optional	40A, PG GC3[4]	12 V, U-1	3.5A, off-board	Up to 19 miles	24.5 lbs. each	114 lbs.	43 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	16.5"-18.5"	Optional	40A, PG GC3[4]	12 V, U-1	3.5A, off-board	Up to 15 miles	25 lbs. each	100 lbs.	43 lbs. comfort, high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	15.75"-17.75"	N/A	50A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 9.8 miles	37 lbs. each	99 lbs.	52 lbs. high-bk.	18" x 18" - 20", 20" x 18" - 20", 22" x 20" - 22"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	17.25"-19.25"	N/A	50A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 17 miles	37 lbs. each	124 lbs.	52 lbs. high-bk.	18" x 18" - 20" 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	LIFETIME. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
24"W x 24"D	15.75"-17.75"	N/A	60A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 9.8 miles	37 lbs. each	99 lbs.	52 lbs. high-bk.	20" x 18" - 20", 22" x 20" - 22"	Group 2: Heavy Duty (K0824/K0825)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
24"W x 24"D	17.75"-19.75"	N/A	50A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 11 miles	37 lbs.	122 lbs.	52 lbs. high-bk.	20" x 18" - 20"', 22" x 20" - 22"	Group 2: Heavy Duty (K0824/K0825)	LIFETIME. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
32"W x 28"D	17.25"-19.25"	N/A	90A, PG VR2	12 V, GROUP-24	8A, off-board	Up to 15.7 miles	52 lbs. each	195 lbs.	52 lbs. high-bk.	24" x 24"	Group 2: Very Heavy Duty (K0826/K0827), Single Power Very Heavy Duty (K0839)	K0826 / K0827 Models- LIFETIME. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors K0839 Model- LIFETIME. LIMITED: Frame 2 YR. LIMITED: electronics 18 MO. LIMITED: drive motors

7 Maximum weight capacity is reduced to 400 lbs. (181 kg) on 18" deep seat configurations.
8 Battery weight may vary based on manufacturer.
9 Seat weight included (because tools are required to remove seat). Battery weight not included.
10 Seat weight included. Does not disassemble.

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement.

The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure.
Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%.

Authorized Pride® Provider

D E A L E R S T A M P

(US) 800-800-8586 • (CAN) 888-570-1113 • pridemobility.com •