



ACCOUNT INFORMATION

P.O. # or Quote: _____
 Dealer Contact Name: _____
 Email Address: _____
 Phone: _____ Fax: _____
 Bill to (Name): _____
 Bill to (Location): _____
 Ship to (Name): _____
 Address: _____
 City: _____
 State: _____ Zip Code: _____
 User Name or Number: _____
 User Weight: _____
 User Height: _____
 Seat Cushion Thickness: _____
 Knee to Heel Length: Left: _____ " Right: _____ "



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight. - Amysystems is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
 - Order confirmations will be provided by Amysystems summarizing the items selected. Please review this carefully. - Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

STANDARD OPTIONS FOR HCPCS CODES (K0850, K0858, K0862, K0014)

Alltrack M3 (HD) Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 5.9mph or 5.4mph motors, Weight Capacity = 450lbs

ALLTRACK M3 (HD) POWER WHEELCHAIR

ATM3-3HD-SS	ALLTRACK M3 (HD) Power Wheelchair - (K0850 / K0014) - (Group 3 Heavy-Duty, No Power)	\$7,995
ATM3-3HD-SP	ALLTRACK M3 (HD) Power Wheelchair - (K0858 / K0014) - (Group 3 Heavy-Duty, Single Power)	\$7,495
ATM3-3HD-MP	ALLTRACK M3 (HD) Power Wheelchair - (K0862 / K0014) - (Group 3 Heavy-Duty, Multiple Power)	\$7,495

USER WEIGHT PACKAGES

WCA45	450 lb Maximum user weight capacity	STD
-------	-------------------------------------	-----

STANDARD FRAME COLORS

FCBLK	Black	STD
FCSBM	Matte Black	STD
FCGMC	Gun Metal	STD
FCSVM	Silver Metallic	STD
FCCBU	Candy Blue	STD
FCCRE	Candy Red	STD
FCMPL	Midnight Purple	STD
FCRZB	Razzleberry	STD
FCMWT	Matte White	NEW STD

OPTIONAL FRAME COLORS (May increase lead times)

FCTXG	Toxic Green	N/C
FCBOR	Burnt Orange Metallic	N/C
FCBAO	Black Opal Metallic	N/C
FCOPM	Sparkle Orange	N/C
FCYLW	Yellow	N/C
FCPKP	Pearl Pink	N/C
FCHDD	(1) Digital Desert Camo Hydro Graphics	NEW \$995
FCHWL	(1) Woodland Camo Hydro Graphics	NEW \$995
CUSTOM	(1) Carbon fiber Hydro Graphics (Matte black base)	NEW \$995

Note 1 : Includes matching accessories with the hydro Graphics option. The matching accessories option is not required with these colors.

MATCHING ACCESSORIES TO THE FRAME COLOR

FC***-M	Matching Accessories to the Frame Color (Wheels, front access door, headrest mount and back shell when selected)	\$295
---------	--	-------

TRANSPORT OPTION

TTD4	(2) 4-Point wheelchair transport brackets	N/C
------	---	-----

Note 2 : 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.

MOTOR PACKAGE

MP594	5.9MPH 4-Pole Motor Package (Maximum user weight Capacity of 400 lb)	STD
MP544	Optional 5.4MPH 4-Pole Heavy-Duty Motor Package	N/C



ASSISTIVE DRIVING PACKAGE

SMARTT	^(3,4) Smart-Track - (K0108)	\$1,495
Note 3 : Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.		
Note 4 : Requires the R-net PM 120 Amp Expandable Controller (ECR120).		

BATTERY CHARGER

BCOB	Offboard Battery Charger	N/C
BCLES8OPT	Lester 8 amp Offboard Battery Charger - (E2367)	\$395

BATTERY TRAY AND FRAME SIZE

FS24B	Battery Tray for Group 24 Batteries - (Total frame width = 25 3/8")	N/C
--------------	---	-----

BATTERIES

BAT24PR	Gel Batteries - Group 24 - (Each - On chair) - (E2363)	\$430
----------------	--	-------

DRIVE WHEEL

DW14PT	14" Cast Wheel Pneumatic Tire	STD
DW14PI	14" Cast Wheel Pneumatic with Flat-Free inserts	N/C
DW144PT	⁽⁵⁾ 14" x 4" Extra Wide Cast Wheel Pneumatic Tire	\$550
DW144PI	⁽⁵⁾ 14" x 4" Extra Wide Cast Wheel Pneumatic with Flat-Free inserts	\$550
DW12PT	⁽⁶⁾ 12 1/2" Cast Wheel Pneumatic Tire	N/C
DW12PI	⁽⁶⁾ 12 1/2" Cast Wheel Pneumatic with Flat-Free inserts	N/C
Note 5 : The 14" x 4" Extra Wide Wheel increases the overall width of the Base by 2 1/2". The option to Match the Wheels to the Shroud Color (FC...-M) is not available with the 14" x 4" Extra Wide wheels. The 14" x 4" option is not available with VR2 electronics (ECV902A).		
Note 6 : 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque.		

FRONT CASTERS

FC6S	6" Solid Casters - (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)	STD
FC8PTM	⁽⁷⁾ 8" Pneumatic Casters	N/C
FC8PIM	⁽⁷⁾ 8" Pneumatic Casters with Flat-Free inserts	N/C
Note 7 : The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI).		

SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

OPTIONS FOR A SEAT ONLY

STFH155	⁽⁹⁾ 15 1/2" - (Possible Seat angle of 0° only)	STFH1825	18 1/4" - (Possible Seat angle of 0° and 3°)
STFH1625	16 1/4" - (Possible Seat angle of 0° only)	STFH1925	19 1/4" - (Possible Seat angle of 0°, 3° and 6°)
STFH1725	17 1/4" - (Possible Seat angle of 0° and 3°)	STFH2025	20 1/4" - (Possible Seat angle of 0°, 3°, 6°, 9°)

OPTIONS FOR A POWER TILT OR AN HD POWER ELEVATING SEAT

STFH155	^(8, 9) 15 1/2" - (Possible Seat angle of 0° only)	STFH1775	17 3/4" - (Possible Seat angle of 0° only)
STFH1625	⁽⁹⁾ 16 1/4" - (Possible Seat angle of 0° only)	STFH1825	18 1/4" - (Possible Seat angle of 0° only)
STFH1725	⁽⁹⁾ 17 1/4" - (Possible Seat angle of 0° only)	STFH1875	18 3/4" - (Possible Seat angle of 0° only)

OPTIONS FOR A COMBO - POWER TILT WITH AN HD POWER ELEVATING SEAT

STFH185 NEW	⁽⁸⁾ 18 1/2" - (Possible Seat angle of 0° only)	STFH1925 NEW	19 1/4" - (Possible Seat angle of 0° only)
--------------------	---	---------------------	--

Note 8 : Requires the 12 1/2" Drive wheels (DW12PT or DW12PI). This lowers ground clearance and speed, but increases motor torque.

Note 9 : These seat to floor height measurement are not available with the Heavy-Duty 11" Power Elevating Seat (ADDPEXHD).

SEAT TO FLOOR HEIGHT SPECIFICATION (If not standard)

SOMHSS	Specific seat to floor height requirement other than standard. - (Custom upcharges may apply)	RFO
Required at: _____ " (± 1/4" Range)		

PRE-SET SEAT FRAME ANGLE

SFE-0	0° Pre-set seat frame seat angle - (Must be selected when using power options)	STD
SFE-3	3° Pre-set seat frame seat angle - (Only available with a seat configuration without power options)	N/C
SFE-6	6° Pre-set seat frame seat angle - (Only available with a seat configuration without power options)	N/C
SFE-9	9° Pre-set seat frame seat angle - (Only available with a seat configuration without power options)	N/C



▼ LIGHTING PACKAGE

EOLP	⁽¹⁰⁾	LED Light Package - (Includes front beams, side flashers, rear tail light with flashers & brake light)	\$1,195
-------------	-----------------	--	---------

Note 10 : Requires the upgraded Joystick with Light Operation or the OMNI (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL or EDIB). The Light Package is not compatible with the EPSEL option.

▼ NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER & JOYSTICKS

ECV902A		VR2 90 Amp Drive Controller	STD
ECVJ4K	⁽¹¹⁾	VR2 Standard 4-Key Joystick	STD
ECVJ6K	⁽¹¹⁾	VR2 6-Key Joystick - (Allows for a single power option to operate through this joystick)	\$250
ECVJ9KL	⁽¹¹⁾	VR2 9-Key Joystick with Lighting Operation - (Allows for a single power function to operate through this joystick)	\$350

Note 11 : Requires the VR2 90A Drive Control (ECV902A). VR2 Electronics can only accommodate a single power seat function. The only choices are Power Tilt or Elevating seat.

▼ EXPANDABLE ELECTRONICS - PG DRIVES RNET CONTROLLERS

ECEL90		R-net EL 90 Amp Expandable Controller - (E2377)	\$457
ECR120		R-net PM 120 Amp Expandable Controller - (E2377)	\$557
ECRNH	⁽¹²⁾	Harness for Expandable Controller - (E2313)	\$389

Note 12 : Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen.

▼ EXPANDABLE ELECTRONICS - PG DRIVES RNET JOYSTICKS

ECO		Omit Joystick - (For use with an Omni Display)	N/C
ECELJ	⁽¹³⁾	R-net - (LED) - Multiple Drive Joystick	STD
ECRJC	⁽¹³⁾	R-net Standard Joystick with Color screen	\$75

▶ JOYSTICKS WITH LIGHTING OPERATION

ECELJL	⁽¹³⁾	R-net - (LED) - Joystick with Lighting Operation	\$525
ECRJCL	⁽¹³⁾	R-net Joystick with Color screen and Lighting Operation	\$625
ECRJCTPL	⁽¹³⁾	R-net Joystick with Color screen w/ On & Off / Mode switch & speed pot and Lighting Operation	\$825

▶ ADVANCED JOYSTICK

ECRJC35 NEW	⁽¹³⁾	R-net Advanced Joystick - (3.5" Color screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	\$995
--------------------	-----------------	--	-------

Note 13 : This option requires the expandable controller ECEL90 or ECR120.

▼ JOYSTICK MOUNT

JSMF		Fixed Joystick Mount	N/C
JMSA		Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis - (E1028)	\$244
Set-up with standard installation to swing-away sideways Set-up at 35° to swing-away sideways and downwards			
JSMCM		Midline Mounted Swing Away Joystick Mount - (E1028)	\$244

▼ JOYSTICK MOUNT SUPPORT

JSMFH		Joystick mount support Bracket	STD
--------------	--	--------------------------------	-----

▼ JOYSTICK HAND MOUNT

HML		Install Joystick on Left hand side	HMR		Install Joystick on Right hand side
------------	--	------------------------------------	------------	--	-------------------------------------

▼ JOYSTICK HANDLE

JSH	Standard Joystick Gimble	STD	JBAT	Stick Handle 3" in Length - (E2323)	\$86
JBH	Ball Handle - (E2323)	\$86	JFBH	Foam Ball Handle - (E2323)	\$86
JTH	T-Handle - (E2323)	\$86	JGP	Goalpost - (E2323)	\$112

▼ ATTENDANT DRIVE CONTROL OPTION

EADC		Attendant Hand Control for R-net EL & PM Controls - (E2331)	\$895
-------------	--	---	-------

▼ ATTENDANT JOYSTICK HAND MOUNT

EADCL		Install Attendant Joystick on Rear Left hand side	EADCR		Install Attendant Joystick on Rear Right hand side
--------------	--	---	--------------	--	--



▼ ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

EDIB	(14)	Omni - (Enhanced Display & Digital Interface Box with Infrared)	\$1,075
Note 14 : Allows the switch operation of alternative devices through driver controls. Requires one of the R-net fully Expandable Controllers (ECEL90 or ECR120).			

▼ ENHANCED DISPLAY MOUNT

EDSAM - User Swing Away Mount - (E1028)	EDML - (Install Display on LH side)	EDMR - (Install Display on RH side)	N/C
---	-------------------------------------	-------------------------------------	-----

▼ ENVIRONMENTAL CONTROL MODULE

ECU	(15)	Environment control module - (Output Module) - (E2351)	\$825
Note 15 : Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).			

▼ BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

EDBT	(16)	Bluetooth Mouse Emulator - (USB Dongle included)	\$795			
<table border="0" style="width:100%"> <tr> <td style="text-align:center">Windows and MAC OS</td> <td style="text-align:center">Android Devices</td> <td style="text-align:center">Iphone, Ipad and Ipod</td> </tr> </table>				Windows and MAC OS	Android Devices	Iphone, Ipad and Ipod
Windows and MAC OS	Android Devices	Iphone, Ipad and Ipod				
Note 16 : Requires one of the fully expandable R-net controllers (ECEL90 or ECR120). Not limited to only one selection. Any two can be installed on the same chair, but only one can be used at a time.						

▼ POWER OPTIONS & SEATING

SAABA		Amyseat Rehab Seat - Seat Frame only	STD
SAPTXHD	(17)	Heavy-Duty CG Power Tilt - (E1002)	\$4,590
SAPRXHD	(17,19)	Heavy-Duty Power Recline with Integrated Shear Reduction - (ISR) - (E1004)	\$5,920
SAPTPRXHD	(17,19)	Heavy-Duty CG Power Tilt and Power Recline with Integrated Shear Reduction - (ISR) - (E1007)	\$9,920
SAPESXHD	(17,18)	Heavy-Duty 11" Power Elevating Seat Module for transfer assist - (E2300)	\$5,175
ADDPESXHD	(18)	Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTXHD, SAPRXHD or SAPTPRXHD - (E2300)	\$3,995
Note 17 : These options include the fully adjustable Amyseat (SAABA).			
Note 18 : The maximum user weight capacity with this option is 400 lbs.			
Note 19 : It is recommended to use the NXT Back Support option with the power recline (NXTFHTAC).			

▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

EPSV	(20, 21)	Tilt or Elevating seat activation through 6-key VR2 Hand Control - (ECVJ6K or ECVJ9KL) - (E2310)	\$1,085
EPSEL	(20, 21)	Tilt or Elevating seat activation through RNET 90 Amp Expandable Controller - (ECEL90) - (E2310)	\$1,085
SAC		Single - (1) - Power Seat Function Controller to Interface through R-net Electronics - (E2310)	\$1,085
DAC		Dual - (2) - Power Seat Function Controller to Interface through R-net Electronics - (E2310) ** Tilt + Recline Requires MAC	\$1,630

▶ WITH THE SAC OR DAC, PLEASE SELECT ONE ACTIVATION AND POSITION FROM THE LIST BELOW

SWTJSS	(22, 23)	Single actuator activation through R-net Joystick or Specialty Controls	STD				
SWTJSD	(22, 24)	Dual actuator activation through R-net Joystick or Specialty Controls	STD				
SWDUALACT NEW		Dual Activation - (Allows to operate all seat functions with external switches AND through the joystick)	\$295				
SWTOGGLE	(23 or 24)	Single Toggle Switch - (Single Mode: DAC - Dual Mode: SAC)	<table border="1" style="float:right"> <tr> <td>User Activation</td> <td>Attendant Activation</td> </tr> <tr> <td>N/C</td> <td>N/C</td> </tr> </table>	User Activation	Attendant Activation	N/C	N/C
User Activation	Attendant Activation						
N/C	N/C						
SWPUSH1	(23)	Single Push Button Switch - (Single Mode: SAC)	<table border="1" style="float:right"> <tr> <td>User Activation</td> <td>Attendant Activation</td> </tr> <tr> <td>N/C</td> <td>N/C</td> </tr> </table>	User Activation	Attendant Activation	N/C	N/C
User Activation	Attendant Activation						
N/C	N/C						
SWPUSH2	(23 or 24)	Dual Push Button Switch - (Single Mode: DAC - Dual Mode: SAC)	<table border="1" style="float:right"> <tr> <td>User Activation</td> <td>Attendant Activation</td> </tr> <tr> <td>N/C</td> <td>N/C</td> </tr> </table>	User Activation	Attendant Activation	N/C	N/C
User Activation	Attendant Activation						
N/C	N/C						
Note 20 : Allows for the activation of a single power option through the VR2 or R-net 90 Amp Controllers. Only the Power Tilt or Elevating seat options are available with this feature.							
Note 21 : These options do not require the SAC controller as they connect via the chair's power module directly.							
Note 22 : Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expandable Controllers.							
Note 23 : Requires the Single (1 Actuator) Power Seat Function Controller (SAC).							
Note 24 : Requires the Dual (2 Actuators) Power Seat Function Controller (DAC).							

▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

MAC		Multiple - (3 to 6 Actuators) - Power Seat Function Controller to Interface through R-net Electronics - (E2311)	\$2,300				
▶ WITH THE MAC, PLEASE SELECT ONE ACTIVATION AND POSITION FROM THE LIST BELOW							
SWTJSM	(25, 26)	Multiple Actuator activation through R-net Joystick or Specialty Controls	STD				
SWDUALACT NEW		Dual Activation - (Allows to operate all seat functions with external switches and through the joystick)	\$295				
SWMULTI	(26)	4-Way Toggle Switch - (Up to 4 Activations)	<table border="1" style="float:right"> <tr> <td>User Activation</td> <td>Attendant Activation</td> </tr> <tr> <td>N/C</td> <td>N/C</td> </tr> </table>	User Activation	Attendant Activation	N/C	N/C
User Activation	Attendant Activation						
N/C	N/C						
SWMULTIT	(26)	Triple Toggle Switch - (Up to 5 Activations)	<table border="1" style="float:right"> <tr> <td>User Activation</td> <td>Attendant Activation</td> </tr> <tr> <td>N/C</td> <td>N/C</td> </tr> </table>	User Activation	Attendant Activation	N/C	N/C
User Activation	Attendant Activation						
N/C	N/C						
SWPUSH4	(26)	4-Way Push Button Switch	<table border="1" style="float:right"> <tr> <td>User Activation</td> <td>Attendant Activation</td> </tr> <tr> <td>N/C</td> <td>N/C</td> </tr> </table>	User Activation	Attendant Activation	N/C	N/C
User Activation	Attendant Activation						
N/C	N/C						
SWPUSH5	(26)	5-Way Push Button Switch	<table border="1" style="float:right"> <tr> <td>User Activation</td> <td>Attendant Activation</td> </tr> <tr> <td>N/C</td> <td>N/C</td> </tr> </table>	User Activation	Attendant Activation	N/C	N/C
User Activation	Attendant Activation						
N/C	N/C						
Note 25 : Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC).							
Note 26 : Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC).							



SWITCH ACTIVATION HAND MOUNT

Switch Installation: **TSML** - (Install Switch on LH side) **TSMR** - (Install Switch on RH side) N/C

PRE-SET SEAT ANGLE (For Non-Reclining Backs)

SOBAA Please Select one: **86°** **90°** **98°** **106°** N/C

STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" and 26"

SOWN19-24-22 Width adjustment from 19" to 24" with a maximum Depth of 22" STD
SOWN24-26-22 Width adjustment from 24" to 26" with a maximum Depth of 22" STD
19" (SOWN19L) **20" (SOWN20L)** **21" (SOWN21)** **22" (SOWN22)** **23" (SOWN23)** **24" (SOWN24)**
24" (SOWN24HDL) **25" (SOWN25HDL)** **26" (SOWN26HDL)**

ADJUSTABLE SEAT DEPTH RANGE BETWEEN 17" and 22"

17" (SODN17) **18" (SODN18)** **19" (SODN19)** **20" (SODN20)** **21" (SODN21)** **22" (SODN22)**

BACK CANE HEIGHT - (The back cane height measurement is taken from the seat pan to the top of the push handles)

16" (SOBCH16) **18" (SOBCH18)** **20" (SOBCH20)** **22" (SOBCH22)⁽²⁷⁾** **24" (SOBCH24)** **26" (SOBCH26)**

Note 27 : 22" is the minimum back cane height required with a power recline.

BACK SUPPORT

STDSB ⁽²⁸⁾ Standard Contour Back Support - (19" to 26" Wide with a maximum shell height of 22") - **(Not Coded)**. N/C
NXTFHTAC NEW ^(28, 29) NXT Optima FHT AC Fixed Thoracic Back Support - (19" to 21" Wide) - **(E2620)**. \$660
NXTFHTAC NEW ^(28, 29) NXT Optima FHT AC Fixed Thoracic Back Support - (22" to 26" Wide) - **(E2621)**. \$705
STDSBO Omission of the Contour Back Support N/C

Note 28 : It is recommended to use the Back Support option with the power recline.

Note 29 : The actual back shell heights only come in 13", 16" or 19" high.
 The minimum space between the back and seat pan is 3" with a fixed back and 6" with a reclining back.

BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

16" (SOBH16) **18" (SOBH18)** **20" (SOBH20)** **22" (SOBH22)⁽³⁰⁾** **24" (SOBH24)** **26" (SOBH26)**
28" (SOBH28) * This height is not available with the NXT Optima option (NXTFHTAC)

Note 30 : With a power recline, the minimum height is 22".

SEAT CUSHION

NXTBIOFIT NEW ⁽³¹⁾ NXT BIO FIT Cushion - (19" to 21" Wide) - **(E2607)** \$418
NXTBIOFIT NEW ⁽³¹⁾ NXT BIO FIT Cushion - (22" to 24" Wide) - **(E2608)** \$445

Note 31 : The actual cushion sizes only come in even numbers for width and depth measurements.

CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)

SOAFBFLH Flip-Back Cantilever - Full Length Left Side - (Height Adjustable from 7" to 15" in 1" increments) STD
SOAFBFRH Flip-Back Cantilever - Full Length Right Side - (Height Adjustable from 7" to 15" in 1" increments) STD
SOAFBDLH Flip-Back Cantilever - Desk Length Left Side - (Height Adjustable from 7" to 15" in 1" increments) N/C
SOAFBDRH Flip-Back Cantilever - Desk Length Right Side - (Height Adjustable from 7" to 15" in 1" increments) N/C

DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)

SOADPFLH Dual Post Height Adjustable - Full Length Left Side - (Height Adjustable from 9 1/2" - 13 1/2") - **(E0973)** \$120
SOADPFRH Dual Post Height Adjustable - Full Length Right Side - (Height Adjustable from 9 1/2" - 13 1/2") - **(E0973)** \$120
SOADPDLH Dual Post Height Adjustable - Desk Length Left Side - (Height Adjustable from 9 1/2" - 13 1/2") - **(E0973)** \$120
SOADPDRH Dual Post Height Adjustable - Desk Length Right Side - (Height Adjustable from 9 1/2" - 13 1/2") - **(E0973)** \$120

RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)

SOANIFLH Reclining armrest - Full Length Left Side - (Height Adjustable from 10 1/2" to 14" in 1/2" increments) N/C
SOANIFRH Reclining armrest - Full Length Right Side - (Height Adjustable from 10 1/2" to 14" in 1/2" increments) N/C
SOANIDLH Reclining armrest - Desk Length Left Side - (Height Adjustable from 10 1/2" to 14" in 1/2" increments) N/C
SOANIDRH Reclining armrest - Desk Length Right Side - (Height Adjustable from 10 1/2" to 14" in 1/2" increments) N/C



▼ ARMREST HEIGHT ADJUSTMENT AT FACTORY

Please set the Armrest Height at: _____ " (The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post)

▼ ARMPADS

► FOAM TYPE SELECTION

SOFAPD	Desk Length Standard - (10") - Select Side:	Left Hand Side	Right Hand Side	STD
SOFAPF	Full Length Standard - (14") - Select Side:	Left Hand Side	Right Hand Side	STD
SOWAPD ⁽³⁴⁾	Desk Length Waterfall - (10") - Select Side:	Left Hand Side	Right Hand Side	\$25
SOWAPF ⁽³⁴⁾	Full Length Waterfall - (14") - Select Side:	Left Hand Side	Right Hand Side	\$25

► HYBRID GEL & FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)

SOGELD NEW	Desk Length Hybrid Gel and Foam Flat armpad - (10" x 2 1/2") - Select Side:	Left Hand Side	Right Hand Side	\$60
SOGELF	Full Length Hybrid Gel and Foam Flat armpad - (14" x 2 1/2") - Select Side:	Left Hand Side	Right Hand Side	\$60
SOWGELD NEW ⁽³⁴⁾	Desk Length Hybrid Gel and Foam Waterfall armpad - (10") - Select Side:	Left Hand Side	Right Hand Side	\$95
SOWGELF NEW ⁽³⁴⁾	Full Length Hybrid Gel and Foam Waterfall armpad - (14") - Select Side:	Left Hand Side	Right Hand Side	\$95

► SPECIALTY TYPE SELECTION

SOCAR ⁽³⁴⁾	Arm Trough with Hand Support (18" x 4 1/2") - (E2209) - Select Side:	Left Hand Side	Right Hand Side	\$128
------------------------------	--	-----------------------	------------------------	-------

Note 32 : The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.

Note 33 : Arm Trough Armpads may interfere with Armrests Flipping back.

▼ FOOTRESTS

SOAAF ⁽³⁷⁾	Heavy Duty Adult Heavy Duty Swing-Away Footrests.			\$475
	Set at:	60°	70°	
	Select Footrest Range:	SOFLHD12 (12 1/2" - 15 1/2")	SOFLHD14 (14 1/2" - 19 1/2")	
ADDPLHD ^(34, 37)	Heavy Duty Adult Power Elevating & Articulating Legrests - (E1010).			\$2,295
	Select Function:	Individual ⁽³⁵⁾	Combined ⁽³⁶⁾	
	Select Footrest Range:	SOFLPW12 (12 1/2" - 15 1/2")	SOFLPW14 (14 1/2" - 19 1/2")	
⁽³⁷⁾	Please set the Footrest Length at: _____ "			

Note 34 : This option includes calf pads.

Note 35 : Individual legs count as two power functions.

Note 36 : Combined legs count as one power function.

Note 37 : The Footrest Length is taken from the top of the seat pan to the top of the footplate, where the heel is located.

▼ FOOTPLATES & ACCESSORIES

SOSFAFHD	Flip-up Footplates	STD
SOAFPHD	Angle Adjustable & Flip-up Footplates - Each - (K0040)	\$85
SOAHL	Heel Loops - Each - (E0951)	\$21
SOACPF	Calf Pads for Adult Heavy-Duty Swing-Away footrests - (SOAAF) - with adjustable hardware - Each - (E0995)	\$38

▼ CENTER MOUNTS

SOAAF90 ^(40, 41, 42, 43)	90° Fixed Center Mount Interface Bracket - (Offers Manual adjustability from 95° to 70°)			
	Select Foot Platform Range:	SOFBA12 (12 1/2" - 16 1/2")	SOFBA16 (16 1/2" - 19 1/2")	N/C
ADDPFHD ^(38, 39, 40, 42, 43)	90° Heavy-Duty Power Center Mount Elevating & Articulating Foot Platform - (E1012 / K0108) - *** Not available with the 12" Drive Wheel			
		SOFBPW12 (12 1/2" - 16 1/2")	SOFBPW16 (16 1/2" - 20 1/2")	\$2,295
⁽⁴³⁾	Please set the Foot Platform Length at: _____ "			

Note 38 : The power center mount counts as one power function.

Note 39 : This option includes calf pads.

Note 40 : Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPF) to the seat.

Note 41 : With the split footplates option (SOAFPF), this bracket offers independent height adjustability for each footplate.

Note 42 : Please Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPF).

Note 43 : The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates, where the heel is located.

▼ FOOT PLATFORMS & ACCESSORIES

SOFUFP	Flip-up one piece Foot Platform	N/C
SOAFPF	Angle Adjustable & Flip-up Split Footplates for center mount - Each - (K0040)	\$85
SOACPCM	Calf Pads for 90° Fixed Center Mount - (SOAAF90) with adjustable hardware - Each - (E0995)	\$38



SEAT POSITIONING

SOAUTO80-STD	80" Seat Positioning Strap	STD
SOBPHP2C NEW	Bodypoint padded Hip Belt - (Two Point - Center Pull) - (E0978)	\$150
SOBPHP2C-L82 NEW	XL 82" Bodypoint padded Hip Belt - (Two Point - Center Pull) - (E0978)	\$165

HEADREST

SONUAHR	Using headrest mounting hardware other than SOMAH located bellow. Specify: _____	
SOFHRS	Small Curved Headrest Pad 4" x 9" - (E0955)	\$233
SOFHRM	Medium Curved Headrest Pad 5" x 10" - (E0955)	\$233
SOFHRL	Large Curved Headrest Pad 6" x 11" - (E0955)	\$233
SOMAH	Multi-axis Removable Mounting Hardware - (E1028)	\$238
SOHRBC	Bracket to Mount on the Contour Back Support - (Without Recline)	N/C
SOHRPR	Bracket to Mount on the Seat Frame - (For Reclining Backs)	N/C

* Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed.

LATERAL TRUNK SUPPORTS

SOSLS3	Adjustable Laterals with Small Curved Pads - (Each) - 3" x 5" - (E0956)	\$112
SOSLM4	Adjustable Laterals with Medium Curved Pads - (Each) - 4" x 6" - (E0956)	\$112
SOSLL5	Adjustable Laterals with Large Curved Pads - (Each) - 5" x 7" - (E0956)	\$112
SOSLHM	Adjustable Swing-Away Hardware Mounts - (Each) - (E1028)	\$238

** Please select one of the lateral pads and the adjustable & removable hardware.

HIP & THIGH SUPPORTS

SOHTSS10	Adjustable Hip & Thigh Support Pads - (Each) - Small 10" x 4" - (E0956)	\$112
SOHTSM12	Adjustable Hip & Thigh Support Pads - (Each) - Medium 12" x 5" - (E0956)	\$112
SOHTSL14	Adjustable Hip & Thigh Support Pads - (Each) - Large 14" x 6" - (E0956)	\$112
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - (Each) - (E1028)	\$238

*** Please select one of the hip & thigh support pads and the adjustable & removable hardware.

ACCESSORIES

SOCH	Cup Holder - (Self-Leveling)	\$90
SOCPH	Ram Mounts X-Grip Cell Phone Holder	\$120
SOTHS	Ram Mounts X-Grip Small Tablet Holder	\$170
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	\$270

REFLECTOR KIT

REFLECT	Red & White Reflector Kit Stickers (They will not be installed - Included in a bag with the owner's manual)	N/C
---------	---	-----

BACK PACK & ARMREST SIDE POUCHES

SOBP NEW	Back Pack - (Comes with durable straps that can be hooked around the back canes)	\$79
SOAP NEW	Armrest Side Pouch - (Comes with durable straps that can be hooked around the armrest tubes)	Order: 1 2 \$57

SWITCHES & OPTIONS

ASCP	PGDT RNET Dongle and PC programmer kit	\$345
ASCPVR2	PGDT VR2 Dongle and PC programmer kit	\$895
SSBS	Buddy Button Switch - (K0108)	\$150
SSES	Egg Switch-Black - (K0108)	\$150
SSML	Micro Light Switch - (K0108)	\$155



SPECIALTY DRIVER CONTROL OPTIONS

▼ THERAFIN SIP-N-PUFF KIT

SCSNPK	(44, 45)	Therafin Sip-N-Puff Kit - (E2325)			\$1,545
SCSNPBTk	(45)	Therafin Sip-N-Puff Breath Tube Kit - (E2326)			\$400
SCSRMSNP	(45)	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff - (E1028)	SWL (Swings on Left)	SWR (Swings on Right)	N/C
SCSRM	(45)	Stealth Rock-n-Lock Swingaway Mount for Mode Switch - (E1028)	SWL (Swings Left)	SWR (Swings Right)	\$395
SSES-STD	(45, 47)	Egg Switch for Changing Modes - Black - (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	N/C
SSBS-STD	(45)	Buddy Button Switch - (Stop Switch) - Red - (K0108)			N/C
SOMAH	(45)	Multi-axis Headrest Removable Mounting Hardware - (E1028)			\$238
SOFHRS		Small Curved Headrest Pad 4" x 9" - (E0955)			
SOFHRM	(46)	Medium Curved Headrest Pad 5" x 10" - (E0955)			\$233
SOFHRL		Large Curved Headrest Pad 6" x 11" - (E0955)			

▼ SWITCH-IT PROXIMITY HEAD ARRAY

SCSIHAA	(44, 45)	Adult - 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse - (E2330)			\$4,859
SCSRM	(46)	Stealth Rock-n-Lock Swingaway Mount for Mode Switch - (E1028)	SWL (Swings Left)	SWR (Swings Right)	\$395
SSES-STD	(45, 47)	Egg Switch for Changing Modes - Black - (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	N/C
SSBS-STD	(45)	Buddy Button Switch - (Stop Switch) - Red - (K0108)			N/C
SOMAH	(45)	Multi-axis Headrest Removable Mounting Hardware - (E1028)			\$238

▼ SWITCH-IT MICROPILOT LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL

SCSIMP	(44, 45)	MicroPilot Light touch mini Proportional Joystick - (E2312)			\$3,643
SCSRMMP	(45)	Stealth Rock-n-Lock Swingaway Mount for Chin M-P - (E1028)	SWL (Swings Left)	SWR (Swings Right)	\$395
SCSRM	(45)	Stealth Rock-n-Lock Swingaway Mount for Switch - (E1028)	SWL (Swings Left)	SWR (Swings Right)	\$395
SSES	(45, 47)	Egg Switch-Black - (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$150
JCC		Chin Cup - (E2324)			\$55
SOMAH	(45)	Multi-axis Headrest Removable Mounting Hardware - (E1028)			\$238
SOFHRS		Small Curved Headrest Pad 4" x 9" - (E0955)			
SOFHRM	(46)	Medium Curved Headrest Pad 5" x 10" - (E0955)			\$233
SOFHRL		Large Curved Headrest Pad 6" x 11" - (E0955)			

▼ PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT

SCPGMJS	(44, 45)	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount - (E2373)			\$1,395
SCGMJSM	(48)	Gatlin Midline Swing-away Mount for JC200 - (E1028)	MLH (Mount on Left)	MRH (Mount on Right)	\$260
SCSIMP	(44, 45)	Switch-It MicroPilot Light touch mini Proportional Joystick - (E2312)			\$3,643
SCGMPM	(49)	Gatlin Midline Swing-away Mount for MicroPilot - (E1028)	MLH (Mount on Left)	MRH (Mount on Right)	\$260
SCBTM	(50)	Bullet Hand Tray for MicroPilot - (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$395

▼ PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT

SCPGMJS	(44, 45)	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount - (E2373)			\$1,395
SCARMJSM	(48)	Swing-away and Multi-Axis armrest mount - (E1028)	MLH (Mount on Left)	MRH (Mount on Right)	\$244
SCSIMP	(44, 45)	Switch-It MicroPilot Light touch mini Proportional Joystick - (E2312)			\$3,643
SCARMPM	(49)	Swing-away and Multi-Axis armrest mount - (E1028)	MLH (Mount on Left)	MRH (Mount on Right)	\$244
SCBTM	(50)	Bullet Hand Tray for MicroPilot - (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$395

▼ PROPORTIONAL RIM HEAD CONTROL PACKAGE ⁽⁵⁵⁾

SCPHC	(44, 45)	Proportional RIM Head Control Package - (E2327)			\$4,595
SCSRM	(45)	Stealth Rock-n-Lock Swingaway Mount for Mode Switch - (E1028)	SWL (Swings Left)	SWR (Swings Right)	\$395
SSES-STD	(45, 47)	Egg Switch for Changing Modes - Black - (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	N/C
SOMAH	(45)	Multi-axis Headrest Removable Mounting Hardware - (E1028)			\$238

Note 44 : Requires the Omni Enhanced Display & Digital Interface Box (EDIB).

Note 45 : This option must be selected for the Kit.

Note 46 : Choose one (1) Headrest Pad.

Note 47 : The Mode Switch Type can be changed from this selection, (Switches & Options on Page #7).

Note 48 : Must be selected for use with the PG Drives JC200 Mini Joystick.

Note 49 : Must be selected for use with the Switch-It MicroPilot.

Note 50 : This option is only compatible with the Switch-It MicroPilot.



CUSTOM SECTION ⁽⁵¹⁾

Note 51 : Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

▼ O2 Holder

SUPOXY ⁽⁵²⁾	Custom Non-Articulating Oxygen Tank Holder - (E2208)	MLH (Mount on Left)	MRH (Mount on Right)	\$270
SUPOXYA ⁽⁵³⁾	Custom Articulating Oxygen Tank Holder - (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$1,195
	D-Size Oxygen Tank - (* 22" Tall x 4.3" Diameter) - * The height includes the valve			
	E-Size Oxygen Tank - (* 31" Tall x 4.3" Diameter) - * The height includes the valve			

Note 52 : Not available with a power tilt and/or power recline.

Note 53 : Required with a power tilt and/or power recline.

▼ VENT TRAY (Please complete in Full)

SOVENT ⁽⁵⁴⁾	Custom Vent Tray			
	Articulating Vent Box - (Required with Power Tilt and/or Recline) - (E1030) Model: _____			\$1,420
	Fixed Vent Box - (E1029) Model: _____			\$400
SOVTBE ⁽⁵⁴⁾	Extended Battery Compartment - (K0108)			\$495
	Vent powered by 1 U1 Battery	Chair Powered by 2 Group 22NF Batteries	Chair Powered by 2 Group 24 Batteries	
	Vent powered by 1 Group 22NF Battery	Chair Powered by 2 Group 22NF Batteries		
	Vent Powered by 1 Group 24 Battery	Chair Powered by 2 Group 22NF Batteries		

Note 54 : Amysystems does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

▼ OTHER CUSTOM OPTIONS (Request For Quote)

PAT ⁽⁵⁵⁾	Power Anterior Tilt			RFQ
CUSTOM ⁽⁵⁵⁾	Power Flip-up Foot Platform - (Please call CSR for availability with configuration and user weight capacity)			RFQ
CUSTOM	Manual Wheel Locks			\$345
CUSTOM	Non Standard Frame Colors - (Not all custom colors are available, please contact CSR for availability)			\$295
CUSTOM	Transfer Handles - (Pair)			RFQ
CUSTOM ⁽⁵⁵⁾	Endomorphic Back Canes - (Pair) 1" per side towards the inside = 2" in 2" per side towards the inside = 4" in			RFQ
CUSTOM ⁽⁵⁵⁾	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan			RFQ
CUSTOM # 1 ⁽⁵⁵⁾	Other custom options. Specify in notes section below			RFQ
CUSTOM # 2 ⁽⁵⁵⁾	Other custom options. Specify in notes section below			RFQ

Note 55 : Please specify details and specifications for these options.

▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS