



POWER

You want cutting-edge wheelchair technology to keep pace with the demands of your active life. For over 30 years, QUICKIE has listened, researched, tested and delivered. Through state-of-the-art design, superior performance and a customized build, QUICKIE empowers you to live without limits.



LIVE WITH OUT LIMITS



YOU DRIVE OUR DESIGN

QUICKIE wheelchairs are designed for you and by you. In development, we consider how you interact with your wheelchair to maintain maximum performance, fit, and style. This results in the creation of products that are innovative, durable, versatile, and customizable. That is the QUICKIE Advantage.

LEADING DESIGN

We are continually developing new products, improving our flagship products, and offering new options and solutions to enhance your lifestyle.

QUALITY AND DURABILITY

QUICKIE wheelchairs undergo rigorous testing that surpasses industry standards, so you can be confident that your product will hold up and perform throughout its lifetime.

LIFESTYLE VERSATILITY

We offer a comprehensive portfolio of products to meet a wide range of individual lifestyles and clinical needs. Once you choose a QUICKIE, our goal is that it continues to be the right chair for you. We offer maximum adjustability in our designs and interchangeable parts to help accommodate changes in your condition, environment, or lifestyle.

BUILT-4-ME CUSTOMIZATION

Our Built-4-Me Team is dedicated to creating product customizations beyond what is listed on our product order forms. Experts in the engineering and manufacturing of custom rehab products will listen to your specific requests and build a chair as individual as your fingerprint!

Table of Contents

QUICKIE® QM-7 Series	4
QUICKIE® Pulse Series	6
QUICKIE® S-6 Series	8
QUICKIE® P-222 SE	10
Power Matrix	12-13
Controllers & Joysticks	14
Electronics	15-16
Base Options	16
Accessories	17
Armrests	18
Legrests & Footplates	19
Positioning Options	18-19
JAY® Seating Selection	20



OPTIONS FOR ENHANCED USER EXPERIENCE



SureTrac™

The **SURETRAC™** option provides enhanced performance. Whether navigating slopes, curves or irregular surfaces, SureTrac will help keep you driving straight and under control.



PG Drives Color Joystick

- 3.5" color display
- Built-in Bluetooth® and infrared controls
- Speaker for increased horn volume
- Programmable short-cuts for custom control of other functions



SEDEO Ergo Seating™

- C-Me™ elevate 12" at 3mph
- Biometric repositioning
- Power recline with anti-shear
- Power elevating/articulating centermount legrest
- Advanced mechanics for head-to-toe support
- 3DX spacer fabric dissipates heat and moisture to further protect skin
- Backrest E2620/2621 code-verified
- Cushion E2607/2608 code-verified
- Armrests height, width and angle adjustable also available with trough or gel arm pads
- Visco foam overlay for plush comfort



Switch-It Dual Pro™ Head Array

- Truly proportional head array that is intuitive and easy-to-learn
- May be customized to user's level of head control, driving capabilities, and environments
- On-board programming for simple setup and adjustments

* New options are available on the Quickie® QM-7 Series and Pulse Series wheelchairs

QUICKIE QM-7 SERIES

WITH SEDEO ERGO SEATING



Group 3
Standard
QM-710

Group 3
Heavy Duty
QM-715 HD

Group 4
High Speed
QM-720

A HIGH PERFORMING, RELIABLE, AND STYLISH MID-WHEEL DRIVE POWER SOLUTION



CONQUER TERRAIN

- The QM-7's SpiderTrac™ suspension revolutionized mid-wheel-drive performance with optimized front and rear wheel articulation for smooth transitions over various terrains.
- The SpiderTrac™ 2.0 Suspension's performance springs help all six wheels maintain increased contact with the ground as you take on various terrains and adjust your seating positions.
- The SURETRAC™ option enhances driving performance by keeping you driving straight over irregular terrain.



SEATING OPTIONS

ASAP II Seat Frame

- In-field width, depth, armrest, legrest, and back height adjustability
- Wide range of seat sizes
- Manual reclining backrest for increased function and sitting tolerance
- Optional fold down backrest for easy transport

SEDEO Ergo Seating

- Biometric repositioning with 6 programmable positions
- C-Me™ 12" height at 3 mph
- Power recline with anti-shear

3.7 Recline Seat Frame

- Ultra low seat-to-floor heights – as low as 16" with tilt and elevate!
- Integrated JAY® J3™ back for seamless functionality with power recline and shear reduction system
- Low profile electronics enclosure shell for a clean look and compatibility with accessories

- Armrests height, width and angle adjustable also available with trough or gel armpads
- Power elevating/articulating centermount legrests



POWER OPTIONS

- 3.7 Power Recline with Power Shear Reduction and SEDEO Ergo.
- 50° of Power Tilt to optimize positioning
- 12" and 9" Power Seat Elevate for increased user reach and eye-to-eye interaction with peers
- Power Elevating Legrests with Articulation
 - Swing-Away
 - Power centermount with 7.5" of articulation



ELECTRONIC OPTIONS

R-net Expandable and Non-Expandable Controls

- Standard PM120 Controller offers 30% more power and improved drive algorithm
- Simple to use non-expandable controls feature 4-way toggle switch for operation of tilt and power legrests
- Expandable controls feature assignable buttons for control of common functions and 8 programmable profiles for various environments

Alternative Drive Controls

- Alternative drive controls available on-chair and will ship complete with QM-7 Series wheelchairs
- 20 Switch-It proportional and non-proportional (switch) input control options available
- 8 ASL® proportional and non-proportional (switch) input control options available

QUICKIE PULSE



Group 3

COMPACT AND DURABLE, WITH A WIDE RANGE OF EFFECTIVE SEATING AND ELECTRONIC OPTIONS



COMPACT POWER BASE

- Intuitive mid-wheel drive handling
- Small footprint and compact design for indoor accessibility
- Flexible, independent suspension system for moderate outdoor performance
- Linix 2- or 4-pole motors



POWER OPTIONS

- 3.7 Power Recline with Power Shear Reduction
- 50° of Single Power Option Tilt (SPOT) to optimize positioning
- 9" Seat Elevate for increased access to cabinets and interaction with peers
- Centermount with 7.5" of articulation



SEATING OPTIONS

Captain's Seat (CC)

- Convertible seat pan for flexibility in seating options
- Semi-recline and fold-down backrest
- Seat size, legrest, and armrest adjustability
- Mounting capabilities for O2, crutch, or walker holders

ASAP II (BC & SC)

- In-field width, depth, armrest, legrest, and back height adjustability
- Manual reclining backrest for increased function and sitting tolerance
- Optional fold down back for easy transport (pictured above)

3.7 Recline Rehab Seat (SC & MPC)


- Option of Recline Curved Back or Integrated JAY J3 Back for seamless functionality with power recline and shear reduction system
- Seat-to-floor heights as low as 16.3"
- Cantilever Reclining Armrests stay parallel to ground when reclined

QUICKIE S-6 SERIES



Group 3

POWERFUL
PERFORMANCE
WITH VERSATILE
SEATING AND
POSITIONING
OPTIONS



HYBRID POWER BASE WITH DYNAMIC SUSPENSION

- Linix 6.5 mph or 8.5 mph, 4-pole standard motor package for all models
- Short wheel base with hybrid wheel placement for mid-wheel maneuverability and rear-wheel all-terrain performance
- Adjustable dampening, independent wheel suspension that provides a smoother ride, even over obstacles
- PosiDrive™ technology increases the overall strength of the drive train
- Optional LED headlight, blinker, and tail light package for safety
- Painted frame available in 23 different color options



SEATING OPTIONS

Rehab Seat

- TRAX System with easy dovetail track adjustments of the seat and back
- Extensive seating and positioning options
- Articulating vent tray option

Power Recline Seat

- Wide range of seating and positioning options
- Low seat to floor options with and without Power CG Tilt
- Headrest design is easily accessed and does not require tools for removal



POWER OPTIONS

- 53° of Power CG Tilt for optimized positioning
- Power Recline with Power Shear Reduction
- Power Elevating Legrests with Articulation



EASY BATTERY ACCESS

- Battery compartments are some of the easiest to access in the power wheelchair market
- Stay seated in your wheelchair while batteries are being replaced or serviced

QUICKIE P-222 SE

Group 4

FAST, SIMPLE,
AND EXTREMELY
MANEUVERABLE
INDOORS
AND OUT



FAST, MANEUVERABLE BASE

- Linix 8.5 mph, 4-pole standard motor package
- PosiDrive™ technology increases the overall strength of the drive train and features easy-to-service hubs
- 26" turning radius for excellent maneuverability



LIFESTYLE OPTIONS

- Optional manual wheelchair conversion kit for user self propulsion
- Optional LED light package includes headlights, blinkers, and tail light for safety
- Painted frame available in 23 different color options



SEATING OPTIONS

Rehab Seat

- Simple seating and positioning options mix
- Swing-away and fixed hanger options
- Optional 53° of CG tilt to optimize positioning

HCPCS Code	GROUP 3— Standard PWC with weight capacity of 300 lbs and up													GROUP 4— High Activity							
	K0848 Rehab Seat, Std. Weight Cap.			K0849 Capt Seat, Std. Weight Cap.	K0850 Rehab Seat, Heavy Duty	K0856 Single Power Option			K0858 Single Power Option, HD	K0861 Multi Power Option			K0862 Multi Power Option, HD	K0868 No Power Option			K0877 Single Power Option			K0884 Multi Power Option	
Product	Pulse Series	QM-710	S-636	Pulse Series	QM-715 HD	Pulse 6	S-636	QM-710	QM-715 HD	Pulse 6	S-636	QM-710	QM-715 HD	P-222 SE	S-646 SE	QM-720	P-222 SE	S-646 SE	QM-720	S-646 SE	QM-720
Model	BC	BC	BC	CC	BC	SC	SC	SC	SC	MPC	MPC	MPC	MPC	SE BD	SE BD	BD	SE SD	SD	SD	SE MPD	MPD
Drive Wheel Position	Mid	Mid	Rear	Mid	Mid	Mid	Rear	Mid	Mid	Mid	Rear	Mid	Mid	Rear	Rear	Mid	Rear	Rear	Mid	Rear	Mid
Motor Package	Pulse 5: 5.0 mph Pulse 6: 6.0 mph	6.0 mph* <small>(W/ Optional SureTrac)</small>	6.5 mph*	Pulse 5: 5.0 mph Pulse 6: 6.0 mph	5.0 mph <small>(W/ Optional SureTrac)</small>	6.0 mph	6.5 mph* <small>(W/ Optional SureTrac)</small>	6.0 mph* <small>(W/ Optional SureTrac)</small>	5.0 mph <small>(W/ Optional SureTrac)</small>	6.0 mph	6.5 mph* <small>(W/ Optional SureTrac)</small>	6.0 mph* <small>(W/ Optional SureTrac)</small>	5.0 mph <small>(W/ Optional SureTrac)</small>	8.5 mph	8.5 mph	8.0 mph <small>(W/ Optional SureTrac)</small>	8.5 mph	8.5 mph	8.0 mph <small>(W/ Optional SureTrac)</small>	8.5 mph <small>(W/ Optional SureTrac)</small>	8.0 mph <small>(W/ Optional SureTrac)</small>
User Weight Capacity	300 lbs	300 lbs	300 lbs - Std 400 lbs - HD	300 lbs	400 lbs	300 lbs	300 lbs - Std 400 lbs - HD	300 lbs	Tilt only: 400 lbs Recl. only: 350 lbs	300 lbs	300 lbs	300 lbs	350 lbs	350 lbs	300 lbs	300 lbs	350 lbs	300 lbs	300 lbs	300 lbs	300 lbs
Electronics	VR-2 and R-net	R-net (PM-120)	VR-2 and R-net	VR-2 and R-net	R-net (PM-120)	VR-2 and R-net	VR-2 and R-net	R-net (PM-120)	R-net (PM-120)	R-net	VR-2 and R-net	R-net (PM-120)	R-net (PM-120)	VR-2 and R-net	VR-2 and R-net	R-net (PM-120)	VR-2 and R-net	VR-2 and R-net	R-net (PM-120)	VR-2 and R-net	R-net (PM-120)
Suspension	6 wheel	SpiderTrac™ 2.0	Dynamic	6 wheel	SpiderTrac™ 2.0	6 wheel	Dynamic	SpiderTrac™ 2.0	SpiderTrac™ 2.0	6 wheel	Dynamic	SpiderTrac™ 2.0	SpiderTrac™ 2.0	Rear Stabilizers	Dynamic	SpiderTrac™ 2.0	Rear Stabilizers	Dynamic	SpiderTrac™ 2.0	Dynamic	SpiderTrac™ 2.0
Turning Radius ⁺	19"	20"	24"	19"	20"	19"	24"	20"	20"	19"	24"	20"	20"	25"	24"	20"	25"	24"	20"	24"	20"
Seat Selection	ASAP II	ASAP II	Rehab	Captain's Seat	ASAP II	ASAP II or 3.7 Recline	Rehab	ASAP II or 3.7 Recline	ASAP II	3.7 Recline	Rehab Recline	3.7 Recline or SEDEO Ergo	3.7 Recline or SEDEO Ergo	Rehab	Rehab	ASAP II	Rehab	Rehab or Rehab Recline	ASAP II or 3.7 Recline	Rehab Recline	3.7 Recline or SEDEO Ergo
Width	Pulse 5: 12" to 20" Pulse 6: 12" to 22"	12" to 22"	14" to 22"	16", 18", 20"	16" to 24"	12" to 22"	14" to 22"	12" to 22"	16" to 24"	14" to 22"	14" to 22"	14" to 22"	16" to 22"	14" to 24"	14" to 24"	12" to 22"	14" to 24"	14" to 24"	12" to 22"	14" to 24"	14" to 22"
Depth	Pulse 5: 12" to 20" Pulse 6: 12" to 22"	12" to 22"	14" to 22"	Pulse 5: 16", 18", 20" Pulse 6: 15" to 22"	16" to 22"	12" to 22"	14" to 22"	12" to 22"	16" to 22"	16" to 20"	14" to 22"	16" to 22"	16" to 22"	14" to 20"	14" to 22"	12" to 22"	14" to 20"	14" to 22"	12" to 22"	14" to 22"	16" to 22"
Seat-to-Floor Height	16" to 20"	16.3" to 21"	18" to 21"	16" to 18"	16.3" to 20.3"	16.3" to 21.6"	18" to 21"	16.1" to 20.6"	16.1" to 20.8"	16.3" to 18.3"	18" to 21"	16" to 19.3"	16.6" to 19.6"	18" to 20"	18" to 21"	16.3" to 21"	19.75" to 21.75"	18.5" & 20.5"	16.1" to 20.6"	18.5" and 20.5"	16" to 19.3"
Powered Seating	No Power Options	No Power Options	No Power Options	No Power Options	No Power Options	Choose One	Choose One	Choose One	Choose One	More than one option	More than one option	More than one option	More than one option	No Power Options	No Power Options	No Power Options	Tilt	Choose One	Choose one	More than one option	More than one option
Tilt	—	—	—	—	—	•	•	•	•	•	•	•	•	—	—	—	•	•	•	•	•
Recline	Manual Recline	Manual Recline	—	Manual Semi-recline	Manual Recline	•	•	•	•	•	•	•	•	—	—	Manual Recline	—	•	•	•	•
Seat Elevator	Pulse 6 only	•	—	Pulse 6 only	—	—	—	•	—	—	—	•	—	—	—	•	—	—	•	—	•
ELR	•	•	•	•	—	•	•	•	•	•	•	•	•	—	—	—	—	•	•	•	•
Power ELR/ALR	Pulse 6 only	•	—	Pulse 6 only	•	•	—	•	•	•	—	•	•	—	—	•	—	—	•	—	•
Vent Tray	•	•	•	•	•	•	•	•	•	•	•	•	•	N/A	•	•	N/A	•	•	•	•
Batteries	22NF	Group 24 22NF or Group 34	Group 24 or 22NF	22NF	Group 24 or Group 34	22NF	Group 24 or 22NF	Group 24 22NF or Group 34	Group 24 Group 34	22NF	Group 24 or 22NF	Group 24 22NF or Group 34	Group 24 or Group 34	Group 24 or 22NF	Group 24 or 22NF	Group 24 or Group 34	Group 24 or 22NF	Group 24 or 22NF	Group 24 or Group 34	Group 24 or 22NF	Group 24 or Group 34
Drive Wheels	13"	14"	14"	13"	14"	13"	14"	14"	14"	13"	14"	14"	14"	12"	14"	14"	12"	14"	14"	14"	14"
Overall Base Width	24"	25"	25.75"	24"	25"	24"	25.75"	25"	25"	24"	25.75"	25"	25"	24.5"	25.75"	25"	24.5"	25.75"	25"	25.75"	25"
Overall Length	33.9" w/o footrest	36" w/o footrest	33.5" w/o footrest	33.9" w/o footrest	36" w/o footrests	33.9" w/o footrest	33.5" w/o footrest	36" w/o footrest	36" w/o footrests	33.9" w/o footrest	33.5" w/o footrest	36" w/o footrest	36" w/o footrest	31.5" w/o footplates	33.5" w/o footrest	36" w/o footrests	31.5" w/o footplates	33.5" w/o footrest	36" w/o footrests	33.5" w/o footrest	36" w/o footrests
Transit Tested	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes

VR2

Non-Expandable Controls

Industry standard non-expandable electronics
Dependable, highly flexible, and simple to use
4-way toggle switch for operation of tilt and power legrests without the need for expandable controls

Optional Attendant Control for operation by caregiver

R-net

Expandable and Non-Expandable Controls

8 uniquely programmable profiles for easy transitions between environments

Optional assignable buttons for convenient control of common functions

Versatile joystick options
Optional LED joystick

Optional joystick w/color display

- Color Screen for clear operation of functions
- Infrared and Bluetooth® capabilities
- On-board programming capabilities
- Available with mono and stereo jacks for adding external actuator and ON/OFF switch control
- Available with Toggle, Speed Potentiometer, and stereo jacks

Expandable OMNI Input Control Module

- Infrared (IR) functions for operation of IR controlled devices such as TVs and DVD players
 - On-board programming capabilities
- Full alternative drive control capabilities
Optional Attendant Control for operation by caregiver

Drive Controls



VR2 Non-Expandable Controller



R-net Expandable Controller



R-net 120amp Non-Expandable/Expandable Controller

Environmental Controls



R-net Environmental Control Output Module (ECM)



R-net Bluetooth® Mouse-Mover

Joysticks




Non-expandable VR-2 Joystick



R-net Expandable LED Joystick



Joystick w/Stereo Jacks & Color Display



Joystick w/Toggle, Speed Potentiometer, Stereo Jacks & Color Display



R-net OMNI Input Control Module



Advanced Color Joystick

Joystick Mounts



Fixed



Swing-Away

Joystick Handles



Ball



Foam Ball



T-Handle



Goalpost



Silicone Ball 1" and 5/8" (MicroPilot Only)

Attendant Controls



Retractable



VR-2




R-net

Programmers



VR-2 Hand Held



R-net PC Programmer

Switch Inputs for Joysticks or Omni



Ribbon



Buddy Button



Disc



Wobble (LLS)



Micro Light



Egg



Stereo to Mono Splitter



Switch-It Mini Button 1 (Mono)



Switch-It Ctrl+5™ Button



Switch-It Mini Button 2 (1 Stereo or 2 Mono)



Switch-It Mini Button 4 (DB9)



Switch-It Ctrl+5™ Toggle

Multiple Switches



Switch-It 5 Naked Proximity Switches on DB9 Connector



Switch-It SJX2 Proximity Switch Interface

Proportional Head Control (Dual Pro Only)

Switch-It Dual Pro™ Head Array



Switch-It Head Array Package
3-Switch Curved
(Long, Straight or Short Wings)



Switch-It Head Array 5-Switch
(Long or Straight Wings)



QUICKIE® Sip 'N' Puff System



ASL Proximity Head Array
Package 3-Switch
(Adult or Pediatric)



Switched Head Controls

Proportional Chin Controls

Switch-It Micro-Series BDN
Chin Control Pkg,
Standard 6" or Large 8"



Switch-It Swing Away
Chin Control Pkg.
(MicroPilot, Micro Guide or Versa Guide)



Proportional Hand Controls

Switch-It Midline
Gatlin Package
(MicroPilot, Micro Guide or Versa Guide)



ASL Proportional Micro
Extremity Joystick Midline
with Gatlin Package



ASL Compact Joystick with
Integrated Buttons Midline
with Gatlin Package



QUICKIE Proportional Chin
Control Package



ASL Proportional Micro
Extremity Joystick Chin/Lip
Control Package



ASL Micro Mini Joystick with
Hand Pad Midline with Gatlin
Package



Switch-It Micro-Pilot Joystick
with Space Disk Tray Package



Switch-It Micro-Guide Joystick
with Space Disk Tray Package



Base Options



Knobby Drive Wheels



4-Point Transit Tie-Downs




Gp 24 Batteries with Flat Tops



22NF Batteries with Flat Tops



Gp 34 Batteries with Flat Tops



Fixed Vent Tray



8A Dual Mode (Off-Board) CTE

Accessories

RAM® Cup Holder



RAM Phone Mount



RAM Tablet Mount



Auto Style Buckle



Belt 2" Aircraft Buckle



Belt 2" Aircraft Buckle Padded



O2 Holder



Crutch Holder



Walker Holder



Tuffak Tray Table



Black Utility Backpack



Black/Charcoal Kid's Backpack



Switch-It Remote Stop Switch



Armrests



Armpads



Positioning Options



*Various Whitmyer head supports are available with the hardware shown.

Legrests




Footplates



 <p>QUICKIE Tension Adjustable Upholstery Available with 3DX, Microclimatic, or Ballistic Nylon fabric 1" width adjustment</p>	 <p>SPOT Curved Back Solid Support Optional preassembled Whitmyer headrests Optional AES positioning components</p>	 <p>JAY J3 Backrest Two-point or four-point quick-release hardware Range of back heights and contours to meet user needs Can mount Whitmyer headrests or lateral positioning supports</p>	 <p>JAY or ART SPO Backrest Designed for the unique needs of a client in power tilt Provides postural management in a package that can be customized in the field Shape, height, width and thickness of the foam customizable by user ART SPO Back offers custom shapes: i-back, scapular cut-out, and custom rectangular</p>
--	---	---	---

JAY[®] Seating Selection

JAY CUSHIONS




Basic
E2601, E2602



Basic^{PRO}
E2601



GO[™]
E2603, E2604



Soft Combi[™] P
E2605, E2606



Easy[™]
E2607, E2608



Ion[™]
E2607, E2608



Union[™]
E2607, E2608



X2[™]
E2622



Fusion[™]
E2622, E2623



J2[™]
E2622, E2623,
E2624, E2625



J2[™] Deep Contour
E2622, E2623,
E2624, E2625

JAY BACKS



Basic
E2611



GO[™]
E2611, E2612



Care[™]
E2615



J2[™]
E2613



J2[™] Deep Contour
E2620



Focus Point
E2620



J3[™] Posterior
E2613, E2614



J3[™] Posterior & Lateral
E2615



J3[™] PD, PDL & PDC
E2620

To learn about customizing JAY seating products, visit the JAY Your Way product page on www.SunriseMedical.com.