Invacare eForms

For additional information, visit www.invacare.com/eForms

Customer Service: 800-333-6900 Fax: 800-678-4682 To order Literature: 800-828-6282



Invacare eForms offer new functionality!

www.invacare.com

Invacare is pleased to offer you an upgraded solution to your ordering process. Our enhanced order forms allow you to fill out a form electronically, print and fax the form, save and email* it to Customer Service, or maintain the business practices that work for you today. The format has been revised to reveal a cleaner look with electronic selection and input functions.

*Saving and emailing the eForms is available with Acrobat Professional software

If you are using Adobe Reader

- View and download all forms
- Save blank versions of the forms to your desktop
- Complete forms electronically
- Print blank or completed forms
- Fax completed forms to Customer Service

Please note: The 'Email' button at the end of the form will not work with Adobe Reader. The 'Email' button will only work while using Adobe Acrobat Professional.

If you are using Adobe Acrobat Professional

- View and download all forms
- Save blank AND completed versions of the forms to maintain electronic records
- Complete forms electronically
- **Print** blank or completed forms
- Fax completed forms to Customer Service
- **Email** completed forms to Customer Service by using the 'Email' button at the end of the form.

For information on downloading Adobe Reader for free, or puchasing Adobe Acrobat Professional, please visit www.adobe.com.

$\underline{\textbf{Invacare}^{\$} \, \textbf{Solara}^{\mathsf{\tiny TM}} \, \textbf{3G} \, \, \textbf{-} \, \textbf{Adult Tilt-in-Space Wheelchair}}$

Price List and Order Form

transportation systems.

www.invacare.com

Customer Service: 800-333-6900 Fax: 800-678-4682 To order literature: 800-828-6282



TRANSACTION TYPE:

	Order	Quote		
Date	Account #		P.O. #	
	me			
	City			
HCPCS codes	Specia s are not intended to be, nor should be considered billing or legal advic		ponsible for determining the ap	propriate billing codes when
	nims to the Medicare Program and should consult an attorney or other a			
	FRAME SELECTIONS	TRAN	NSPORT/VENT TR	AY SELECTION
FRAME T	YPE	TRANSPO	ORT TIE DOWN	Clear
SOLARA30	G Solara 3G Tilt-in-Space wheelchair	○ TRRO	Transport Ready Option Not available with W23, W24, HDI LOSHEAR, LOSHEARWO, P750, 3 Must select seat cushion and sea	2218, OFFMNT, BILAT, 110CP.
CUSTOM	See www.invacare.com/Solara3G for additional information when configuring this chair. PACKAGES	○ TRBKTS		
HDPG	Heavy Duty Package (400 lbs. Weight Capacity) $100.00~$ K0108 Reinforced axles and crossbraces. Weight limit of 400 lbs.	VENT TRA	AY OPTION	
SUSPENSI	SUSPENSION SELECTION	AVENT	Ventilator Tray (each) Not available with HDPG. Available with 16" wide frame and Height and above.	\$295.00 E1029 d above and 18" Seat-to-Floor
		ATBOX	Ventilator Battery Box (each)	\$97.00
FLSF	DeGage Dynamic Rocker Back	BACKVEN	TLaptop Vent Tray Not available with HDPG, LOSHE. Available with 15" wide frame and	AR, P750.
SPACK	Suspension Package		FRAME SELE	CTIONS
	Transport Tie Down	TILTING	OPTIONS	
anchored p ANSI/RES requirement correspond	ludes four factory-installed transport brackets and wheelchair belvic belt. TRRO has been crash-tested in accordance with SNA WC Vol 1. Section 19 Frontal Impact Test atts for wheelchairs with a 168 lbs. crash dummy, which is to a person with a weight of 114 lbs. to 209 lbs. Includes four factory-installed wheelchair transport brackets. The same of the person with a weight of 114 lbs. to 209 lbs.	FRLT FRRT THR TLL	Cable-Free Foot Release-Left Cable-Free Foot Release-Rigi Traditional Hand Release Tilt Lock Levers	Mount
transport b	rackets only to secure an unoccupied wheelchair during	SEAT WII	DTH RANGE	
transport.		SWR1216	5 12" – 16" Seat Width Range . Not available with HDPG.	
	date, the Department of Transportation has not approved any tie- ems for transportation of a user while in a wheelchair, in a			
moving ve	hicle of any type. It is Invacare's position that users of			
transportat	rs should be transferred into appropriate seating in vehicles for ion and use be made of the restraints made available by the auto			

All prices subject to change without notice.

NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.

SEAT WI	DTH		CASTE	R, WHEEL AND TIRE SELECTIONS
○ W12	12" Wide	No Charge		,
○ W13	13" Wide	No Charge	SEAT-TO	-FLOOR HEIGHT
W14	14" Wide	No Charge	CSTF125	Seat-To-Floor 12 1/2" (10 1/2" w/DPSEAT) No Charge
○ W15	15" Wide	U	CSTF13	Seat-To-Floor 13" (11" w/DPSEAT) No Charge
○ W16	16" Wide	No Charge	OSTF135	Seat-To-Floor 13 1/2" (11 1/2" w/DPSEAT) No Charge
○ W17	17" Wide	No Charge	OSTF14	Seat-To-Floor 14" (12" w/DPSEAT) No Charge
○ W18	18" Wide	U	CSTF145	Seat-To-Floor 14 1/2" (12 1/2" w/DPSEAT) No Charge
○ W19	19" Wide	U	○STF15	Seat-To-Floor 15" (13" w/DPSEAT)
◯ W20	20" Wide		CSTF155	Seat-To-Floor 15 1/2" (13 1/2" w/DPSEAT) No Charge
	21" Wide	\$300.00 E2201 K0108	◯ STF16	Seat-To-Floor 16" (14" w/DPSEAT) No Charge
○ W22	22" Wide	\$300.00 E2201 K0108	STF165	Seat-To-Floor 16 1/2" (14 1/2" w/DPSEAT) No Charge
○ W23	23" Wide	E2201	◯STF17	Seat-To-Floor 17" (15" w/DPSEAT) No Charge
○ W24	24" Wide		◯STF175	Seat-To-Floor 17 1/2" (15 1/2" w/DPSEAT) No Charge
W 24	24 Wide	K0108	◯STF18	Seat-To-Floor 18" (16" w/DPSEAT) No Charge
			◯STF185	Seat-To-Floor 18 1/2" (16 1/2" w/DPSEAT) No Charge
SEAT DE	CPTH RANGE		○STF19	Seat-To-Floor 19" (17" w/DPSEAT) No Charge
OSDR121	6 12" – 16" Seat Depth Range		CASTER (OPTIONS (PAIR)
○ CDP151	Tilt Assist feature not available on this frame. 9 15" – 19" Seat Depth Range		_	
	2 18" – 22" Seat Depth Range		◯ 4SPLT	4" x 1" Composite Urethane Light Up No Charge Not available with HDPG.
O SDIKI02	2 10 22 Seat Depth Range		○ 4ALUM2	4" x 1.4" Aluminum Soft Roll
SEAT DE	рти		◯ 5SPLT	5" x 1 Composite Urethane Light Up No Charge
_			0	Not available with HDPG.
O D12	12" Seat Depth	Ü	(51DC	5" x 1" Urethane Casters
○ D13 ○ D14	13" Seat Depth	· ·	○5ALUM2	5" x 1.4" Aluminum Soft Roll
OD14	14" Seat Depth	· ·	○ 61DC	6" x 1" Urethane Caster
OD13	16" Seat Depth	· ·		Not available with HDPG.
OD10	17" Seat Depth	_	1259	6" x 2" Semi-Pneumatic Casters \$60.00
OD17	18" Seat Depth		○6ALUM2	Not available with HDPG. 6" x 1.4" Aluminum Soft Roll \$90.00
OD19	19" Seat Depth	· ·	○81DC	8" x 1" Urethane Casters
O D20	20" Seat Depth	Ü	○ 815DC	8" x 1.5" Urethane Caster
O D21	21" Seat Depth	\$300.00 E2203 K0108	0 310 2	
O D22	22" Seat Depth	T0004		
0 222	22 Seat Bepin	K0108	WHEEL C	OPTIONS (PAIR)
	FRAME FINISH		◯ 12COM	12" Composite Wheels No Charge
FRAME	COLORS		∩ 16COM	16" Composite Wheels
_		V. 61	Crocom	Not available with urethane tires.
○ 24P	Wet Black		0	Only available with aluminum handrims.
○ 29P	White Snow		○ 18COM	18" Composite Wheels
○ 60P ○ 115P	Silver Metallic	· ·		Only available with aluminum handrims.
○ 115P	Black Prism	· ·	20COM	20" Composite Wheels
○ 1051 ○ 116P	Sunkissed Orange	•	22COM	22" Composite Wheels
○ 1101 ○ 117P	Tangerine Red	ě	24COM	24" Composite Wheels No Charge
30P	Sunny Yellow	· ·		
○ 61P	Electric Red	· ·	AXLE TYI	PE (PAIR)
119P	Bubblegum Pink		○ A1577	Quick Release Axles
120P	Grape Madness	•	PAXLE	Permanent Axles
62P	Electric Blue	•	O	
○ 127P	Grasshopper Green	•		
	Touch Up Paint	ě	TIRE OPT	TIONS (PAIR)
Ш	Touch up paint is not available in all colors.	φ20.00	○ PNEU	Pneumatic Tires\$60.00
	Touch Up Color		O DMIELIEE	Not available with HDPG. Flat Free Inserts\$65.00 E2213
			\sim	Urethane (Treaded) Tires
Discontin	ued frame colors are available through our s C-070109030544	specials department.	OKEIH	Ciculate (Treaded) Tites

All prices subject to change without notice.

NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.

			IIIvacai	e Sulai a	1 30 -
Front and I	Rear Seat-to	-Floor Heigh	nts (measured f	rom Floor to To	p of Seat Rail)
Rear Wheel	4" 4SPLT 4ALUM2	5" 51DC 5ALUM2 5SPLT	6" 61DC 6ALUM2	6" 1259	8" 81DC 815DC
12" Pneu PneuFF	12 1/2" 13" 13 1/2" 15 1/2" 16"	13 1/2" 151/2" 16" 16 1/2"	15 1/2" 16" 16 1/2" 17"	15 1/2" 16" 16 1/2" 17" 17 1/2" 18"	16 1/2" 17" 17 1/2" 18"
12" Urethane	12 1/2" 14 1/2" 15" 15 1/2" 16"	14 1/2" 15" 15 1/2" 16" 16 1/2"	14 1/2" 15" 15 1/2" 16" 16 1/2"	14 1/2" 15" 15 1/2" 16" 16 1/2"	16 1/2" 17"
16"	12 1/2" 13" 13 1/2" 14" 14 1/2" 15"	13 1/2" 14" 14 1/2" 15"	14 1/2" 15" 17"	14 1/2" 15" 17" 17 1/2" 18"	17" 17 1/2" 18" 18 1/2" 19"
18"	13 1/2" 14" 14 1/2" 15" 15 1/2" 16"	13 1/2" 14" 14 1/2" 15" 15 1/2" 16"	14 1/2" 15" 15 1/2" 16"	14 1/2" 15" 15 1/2" 16" 18"	18" 18 1/2" 19"
20"	15" 15 1/2" 16"	15" 15 1/2" 16" 16 1/2"	15" 15 1/2" 16" 16 1/2" 17"	15" 15 1/2" 16" 16 1/2" 17" 17 1/2"	16 1/2" 17" 17 1/2"
22"	16"	16" 16 1/2"	16" 16 1/2" 17"	16" 16 1/2" 17" 17 1/2" 18"	16 1/2" 17" 17 1/2" 18" 18 1/2"
24"	N/A	16 1/2"	16 1/2" 17"	16 1/2" 17" 17 1/2" 18"	16 1/2" 17" 17 1/2" 18" 18 1/2" 19"
All Dimensions Are Approximate					

HANDRIM OPTIONS (PAIR)

CHDRM	Chrome Plated Handrims	. No Charge
C 1512	Plastic Coated Aluminum Handrims	\$72.00
AT-1225-8	Plastic Coated with 8 Vertical Projections Only available with 24COM7.	\$240.00
AT-1224-8	Plastic Coated with 8 Oblique Projections Only available with 24COM7.	\$240.00
AT1225-12	Plastic Coated with 12 Vertical Projections	\$240.00
_	Only available with 24COM7.	
C L8702	Omit Handrims	Less \$15.00

WHEEL LOCKS

SEAT STYLE

FOOTBRK	Foot Operated Push To Lock Wheel Lock \$50.00	K010
	Not available with AVENT.	
☐ PULLLOCK	Pull To Lock Wheel Locks (pair) No Charge	
☐ PUSHLOCK	Push To Lock Wheel Locks (pair) No Charge	
EXTLOCK	Push To Lock with 6 Bolt-On Ext (pair) \$65.00	E096
FOOTHUB	Foot Operated Hublock	K010
ATHUB	Cane Mount Hub Lock\$50.00 Not available with LOSHEAR or LOSHEARWO, 16COM.	K010
USEHUB	Seat Rail Mount Hub Lock	K010
\mathbf{A}^{\cdot}	RM AND BACK SELECTIONS	

Clear

chair. Both pans	EAT are solid seat pans and do not come standard with grow in width and require no new hardware or parts wh flush to drop or vice versa.	ien	
FLSEAT	Flush Seat Pan	. \$95.00	E2231
ODPSEAT	Drop Seat Pan	\$95.00	E2231
○ NOSEAT	No Seat Pan	. \$0.00	

Seat Pan Growth Range (1" increments)			
Chair Width	Seat Pan Width Range		
W12	12"-14"		
W13	12"-14"		
W14	13"-16"		
W15	13"-16"		
W16	15"-18"		
W17	15"-18"		
W18	17"-20"		
W19	17"-20"		
W20	19"-22"		
W21	19"-22"		
W22	21"-24"		
W23	21"-24"		
W24	23"-24"		

Arm Heights (measured from Top of Seat Rail to Top of Armpad)				
Arm Type	High			
TAD	6 1/2"- 12 1/2"	9" - 17"		
TAF	1/2" increments	1" increments		
FXDESK FXFULL	9 1/2"	12"		
ADJDESK	9 1/2" - 13 1/2"	12" - 16"		
ADJFULL	1" increments	1" increments		
FADJDESK	9" - 13"	12 " - 16"		
FADJFULL	1" increments	1" increments		

ARM HEI	GHT	Clear
SARMHT	Low Arm Height	. No Charge
○ HARMHT	High Arm Height	. No Charge
	VER ARMS th LOSHEAR or LOSHEARWO	Clear
AT99N	Cantilever Non Locking Bolt on Arms	No Charge
AT55D	Cantilever Locking Desk Length Bolt on Arms	\$195.00
AT55F	Cantilever Locking Full Length Bolt on Arms	\$195.00

All prices subject to change without notice. NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.

$Invacare^{\tiny{\texttt{0}}}\ Solara^{\tiny{\texttt{1M}}}\ 3G\ \ \textbf{-}\ Adult\ Tilt\text{-in-Space}\ Wheelchair$

T ADMC (DATD)		O Cl	D. L. CTT. C.	AND OPENONG	○ Clear
T-ARMS (I	*	' 1	Clear	BACK CA	ANE OPTIONS	Clear
(TAD		ight, Desk Length			X Non-Fold Down Back Canes	
(TAF	Adjustable He	ight, Full Length	\$225.00 E0973	○ FLDBAC	K Fold-Down Back Canes Not available with LOSHEAR, DROCK.	No Charge
	*	HEIGHT ARMS (P.	AIR) Clear	POSITION	NING STRAPS (EACH)	Clear
_	seat depth and		N. Cl	O 1515	Push Button Buckle Seat Positionir	ng Strap \$50.00 E0978
~		Desk Length	- C	◯ 1321BK	Hook and Loop Seat Positioning St	
OFAFULL	Conventional,	Full Length	No Charge	○ 1311BK	Airline Buckle Seat Positioning Str	rap \$50.00 E0978
				9515	Push Button Chest Positioning Stra	-
		ABLE HEIGHT ARMS	(PAIR) ○ Clear	0	Not available with LOSHEAR or LOSHE	
_	seat depth and a		\$105.00 poora	() 7321BK	Hook and Loop Chest Positioning S Not available with LOSHEAR or LOSHEAR	
		Desk Length Full Length		○7311BK	Airline Buckle Chest Positioning S	
		sk Length		() /311BIL	Not available with LOSHEAR or LOSHE	
(FADJDESK	Not available wit	th LOSHEAR, LOSHEARWO or	\$243.00 E0973			
	Flip-Back, Ful	l Lengthh LOSHEARWO or l	\$245.00 E0973		INT® PADDED CALF STR point.com for complete details. Measure	
BACK TYP	PE			_	S Padded Calf Straps (13" - 15")	\$52.00 K0038
○ SCANE	Standard Alum	ninum Back Cane	Standard		M Padded Calf Straps (15" - 18")	
\sim		ed Back Cane			L Padded Calf Straps (18" - 22")	
\simeq		clining Back with Upholster	Ü	O BI CHE	Er added Cair Straps (10 22)	фотоо коозо
CLOSHEAR	Not available wit	h HDPG. k upholstery and AASH.	у \$610.00 когов		OINT® ANKLE HUGGERS® /point.com for complete details. Measure	
OLOSHFARWO		lining Back without Upholstery	/ \$790.00 котов	_	S Side - Release Ankle Huggers (6.5	5" - 8") \$156.00 K0108
C Eddilla III d	Not available wit	h HDPG, headrest and pillow.			M Side - Release Ankle Huggers (7.5	
O DECEVE	with AASH.	d t Dill d Et i	\$75.00 E0066	○ BPAHGI	L Side - Release Ankle Huggers (8.5)	" - 11.5") \$160.00 котов
\sim	Recliner Lock	drest Pillow and Extension . out Levers		○ BPAHGX	L Side - Release Ankle Huggers (11)	" - 13") \$164.00 котов
∩ RLC		th SCANE or RCANE.	¢20.00	DODE/DO	TATOR COLA NATIVE ENVITE	
CKLC	Recilier Lock	Stops	\$30.00	See www.body	INT [®] STAYFLEX [™] point.com for complete details. Measure : . BPSFM and BPSL are approximately 2" v BPSFNL.	
n	1 C II ! 1	4. / 1.C TE C.C	1 (D 1)	○ BPSFM	Anterior Trunk Support with Zip (13" - 16") \$174.00 E0960
		ts (measured from Top of S	•	○ BPSFL	Anterior Trunk Support with Zip (16" - 19") \$178.00 E0960
Back Ca		Inches to 10 degree bend	Total Height	○ BPSFNM	Anterior Trunk Support Narrow with Z	Lip (13" - 16") \$174.00 E0960
BH	120	Straight Cane	20.5"	○ BPSFNL	Anterior Trunk Support Narrow with Z	Lip (16" - 19") \$178.00 E0960
BH20B/	/BH24B	15 1/2"	24.5"			~~~~
BH	124	Straight Cane	24 1/2"	MJ	ISCELLANEOUS ACC	CESSORIES
LOSE	HEAR	Straight Cane	26"	BACK AC	CESSORIES	
LOSHEAR	+ Headrest	Straight Cane	36"		D Adjustable Width Back Rigidizing	g Bar \$85.00 K0108
ABH	1720	16.2" - 21.2"	29.3" - 34.3"	1483	Non Adjustable Stroller Handle	\$85.00
				AASH	Adj.Angle Stroller Handles (Outside	e Mount) No Charge
BACK HEIG	НТ		Clear	AASHIN	N Adj.Angle Stroller Handles (Inside l	Mount) No Charge
◯ BH20B		0" with bend	No Charge	MICCELI	ANEQUE A COEGGODIEG	
○BH20	Not available with Strt Cane w Pu	ish Handle Back Ht 20"	No Charge A9900	MISCELL	LANEOUS ACCESSORIES	
_	Not available wit	th P750.	_	1209	Tire Pump	
BH24B	-	4" with bend	•	P750	Oxygen Holder	\$128.00 E2208
		4"			Not available with HDPG, LOSHEAR, LOSHEARWO, BH20, BH20B, ABH1720	0.
○ ABH1720		ck Canes (17" – 20")th RCANE (because it consists		2218		
		struction), 1483, ATHUB, P750.	- .		IV Pole	
				A1580	Rear Anti-Tippers	- C
				BP02	Multi Pocket Backpack	\$85.00 A9270

All prices subject to change without notice.

NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.

FRONT RIGGING OPTIONS

FRONT RIGGING MOUNTING

STDMNT	STD Front Rigging Mount	Standard
OFFMNT	Offset Front Rigging Mount	No Charge
	Not available with 12" - 16" seat depth range.	



FRONT RIGGINGS (PAIR)

A1562

A1564

	70LIFTNT	70° Lift Off Non-Taper Footrests \$95.00	
	70LIFTMFX	70° Lift Off MFX Footrests \$95.00	
	90LIFTMFX	Must select AT5543. 90° Lift Off MFX Footrests\$95.00	
	SWING1319	Must select AT5543. 60° Swingaway Footrests	
	SWING914	60° Swingaway Footrests MFX	E0990
	70NTAPER	70° Swingaway Footrests No Charge	
	70MFX	70° Swingaway Footrests MFX No Charge	E0990
	70STAPER	Must select AT5543. 70° Tapered Footrests	E0990
	80NTAPER	Available on seat widths 16" and above. 80° Swingaway Footrests	
	80MFX	80° Swingaway Footrests MFX No Charge Must select AT5543.	
	90SWING	90° Swingaway Footrests No Charge	
	AT5044LIFT	Must select AT5543. Lift Off Elevating Legrests\$255.00	E0990
	AT5044	Elevating Legrests\$255.00	E0990
	BILAT	Bi-Lateral Contracture Footrests	
	ATL4A	Center Pivot Articulating Legrests\$320.00	K0053
	110CP	Contracture Platform	
FO	OTPLA'	TE TYPE (PAIR)	Clear
\circ	1651	Flip-Up Composite Footplates No Charge	
		Not available with Bodypoint Ankle Huggers.	

ADJUSTABLE ANGLE FOOTPLATE RIGHT (EACH) \bigcirc Clear (BI-LATERAL CONTRACTURE FOOTREST ONLY)

Not available with Bodypoint Ankle Huggers.

Aluminum Footplates\$59.00

Extra Large Aluminum Footplates \$59.00 K0041

(DI ENTERNIE CONTRACTORE I CONTREDIT CINEI)	
Must select with BILAT.	
AAF325R Adj. Angle Footplate Right 3 1/4" W \$83.00 K0040)
AAF425R Adj. Angle Footplate Right 4 1/4" W \$83.00 κου40)
AAF525R Adj. Angle Footplate Right 5 1/4" W \$83.00 K0040)
С AAF625R Adj. Angle Footplate Right 6 1/4" W \$83.00 коочо)
С AAF725R Adj. Angle Footplate Right 7 1/4" W \$83.00 коочо)

ADJUSTABLE ANGLE FOOTPLATE LEFT (EACH) \bigcirc Clear (BI-LATERAL CONTRACTURE FOOTREST ONLY)

Must select with BILAT.
AAF325L Adj. Angle Footplate Left 3 1/4" W
С AAF425L Adj. Angle Footplate Left 4 1/4" W \$83.00 коо40
AAF525L Adj. Angle Footplate Left 5 1/4" W
AAF625L Adj. Angle Footplate Left 6 1/4" W
AAF725L Adj. Angle Footplate Left 7 1/4" W \$83.00 K0040

Front Rigging Type	Minimum	Maximum
Range	adjusts in 1/2" increme	ents.
60°	13 1/2"	17 1/2"
60° MFX	10"	13 1/2"
*70°	13 1/2"	18 1/2"
*70° Tapered	13 1/4"	17.00"
80°	10.5"	16"
Bilateral Contracture STF125-STF16	5 1/2"	9"
Bilateral Contracture STF165-STF19	5 1/2"	13"
Rang	e adjusts in 1" incremer	nts.
70° MFX	6 1/2"	12 1/2"
80° MFX	4.5"	9
90°	4 1/2"	7 1/2"
In	finite Range Adjustmer	nts
*Elevating	14.00"	20.00"
Articulating	16.00"	24.00"
Contracture Platform STF125-STF16	7 1/4"	8 1/4"
Contracture Platform STF165-STF19	11 1/2"	16"
* A	ALPT shifts range by 2"	

FOOTREST/LEGREST ACCESSORIES (PAIR)

1337	Calf Strap	\$24.00	K0038
9342	"H" Strap	\$56.00	K0039
FRMPRB	ChairArmor Blue Neoprene Frame Protectors Only available with 70LIFTNT, SWING1319, 70NTAPER, 70STAPER		A9270
	ChairArmor Red Neoprene Frame Protectors Only available with 70LIFTNT, SWING1319, 70NTAPER, 70STAPER		A9270
FRMPRBK	ChairArmor Black Neoprene Frame Protectors . Only available with 70LIFTNT, SWING1319, 70NTAPER, 70STAPER		A9270
ALPT	Longer Pivot And Slide Tubes		
ALPT3	3" Extension For 90SWING Footrests	\$31.00	K0108
SCLAMP	Clamp-On Sector Blocks		K0108
CLFPDLR	CG Large Calf Pad for Elevating Leg Rests No Only available on Elevating leg rests.	Charge	

Clear

HEEL AND TOE LOOP (PAIR)

All prices subject to change without notice.

1345

NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.

SEATING

SEATING	CUSHION SELECTION	\circ	Clear
○ ITSG	Matrx Stabilite Gentle Contour Cushion	\$320.00	E2605 E2606
○ ITFG	Matrx Flovair Gentle Contour Cushion	\$390.00	E2607 E2608
○ ITFM	Matrx Flovair Max Contour Cushion	\$390.00	E2607 E2608
MA-VI	Matrx Vi Cushion	. \$425.00	E2607 E2608
OPS-V	Matrx PS Cushion	\$345.00	E2605 E2606
○ FT	Matrx Flo-Tech Cushion	. \$475.00	E2622 E2623
SEATING	BACK SELECTION	\circ	Clear
MPB-V	Matrx PB Back	. \$625.00	E2615
	Matrx PB Deep Back	\$645.00	E2615
○ PBE	Matrx Elite Back	\$625.00	E2620
○ EDB	Matrx Elite Deep Back	. \$760.00	E2620
○ HDB	Matrx PB Heavy Duty Back	\$835.00	E2615 E2616
OHDB	Matrx PB Deep Heavy Duty Back	. \$935.00	E2615 E2616
HEADRES	ST OPTIONS	\circ	Clear
MEHSP-	10 Matrx Elan Standard Pad 10"	\$235.00	E0955
MEHSP-	14 Matrx Elan Standard Pad 14"	\$235.00	E0955
HEADRES	ST MOUNTING HARDWARE	\circ	Clear
	Elan Multi-Axis Removable Hardware	\$220.00	E1028

FROGLEGS SUSPENSION FORKS

Front & Rear-Seat-to-Floor Heights Measured from floor to top of seat rail					
Rear Wheel	4" 4SPLT	5" 5IDC 5SPLT 5ALUM2	6" 6IDC 6ALUM2	6" 1259	8" 8IDC 8I5DC
12"	13.50"	15.50"	15.50" 16.00"	16.50" 17.00" 17.50" 18.00"	N/A
16"	13.50" 14.00" 14.50" 15.00"	14.50" 15.00"	N/A	17.00" 17.50" 18.00"	18.50" 19.00"
18"	13.50" 14.00" 14.50" 15.00"	14.50" 15.00" 15.50"	15.50" 16.00"	18.00"	18.50" 19.00"
20"	15.00"	15.00" 15.50"	15.50" 16.00"	16.50" 17.00" 17.50"	N/A
22"	N/A	N/A	16.00"	16.50" 17.00" 17.50" 18.00"	18.50"
24"	N/A	N/A	N/A	16.50" 17.00" 17.50" 18.00"	18.50" 19.00"

Basic Chair Includes:

- Solara Tilt-in-Space Frame
- Seat-to-Floor Height Selection
- Tilt Option (FRLT, FRRT, THR)
- Casters (4SPLT, 5SPLT, 51DC, 61DC, 81DC)
- Frame Width (12"-19")
- Wheels
- Axles (A1577, PAXLE)
- Urethane Treaded Tires
- Handrims (AHDRM, CHDRM)
- Center-of-Gravity Setting Based on seat depth and seat depth range. See page 7 for details.
- Frame Finish
- Two-Point Conventional Fixed Arms (FXDESK or FXFULL)
- Rear Anti-Tippers
- Aluminum or Steel Reinforced Back Canes
- Wheel Locks (PULLLOCK, PUSHLOCK)
- Back Height Selection
- Front Riggings (SWING1319, SWING914, 70NTAPER, 70MFX, 70STAPER, 90SWING)
- Fold Down Back
- Flip-up Composite Footplates

Specifications			
Frame Style	Tilt-in-Space		
Overall Width	Seat width + 8 1/4" (12" wheels) Seat width + 9 1/4" (18-24" wheels)		
Seat Widths	12" - 24"		
Seat Depths	12" - 22"		
Back Height	17" - 20" , 20", 24"		
Adjustable Angle Back	0°, 5°, 10°, 15°, 20°, 25°, 30°		
Tilt Range	-5° to 50°		
Recliner Back	160°		
Weight Limit	300 lbs./400 lbs. with Heavy-Duty Package		
Weight	34 1/2 lbs*		
Warranty	Lifetime on frame and crossbraces		
*Base chair without Accessories			

Available Through Our Specials Departments

• 20" High Reclining Back

SM-050503023551

• 80° Footrest Hanger

SM-200411121756

• Front Rigging Mount:

Standard on one side and offset on the opposite side C-090731110749

Tilt Assist Explained

The Solara® 3G wheelchair is shipped from the factory pre-configured with one of three "Tilt Assist" settings: Front, Mid or Rear, based solely on the seat depth range and seat depth ordered. This setting describes how the user's weight is distributed on the frame itself, i.e., does one front load the chair, rear load or is the weight evenly distributed. As compared to the 2G, the 3G requires up to 30% less force needed to tilt because of these settings. If factors other than seat depth or seat depth range come into play that affect the weight distribution of the chair, the provider has the ability to change the Tilt Assist setting in the field by simply adjusting 2 screws on each side of the

Tilt Assist Factory Setting				
	Seat Depth Range 15" - 19"	Seat Depth Range 18" - 22"		
D15	Front Setting			
D16	Front Setting			
D17	Mid Setting			
D18	Rear Setting	Front Setting		
D19	Rear Setting	Front Setting		
D20		Mid Setting		
D21		Rear Setting		
D22		Rear Setting		


The factory setting may need to be adjusted if a seating system is added. The factory setting does not account for conditions outside of the seat depth and seat depth range which may cause more weight to be distributed to the front or back of the chair.

When adjusting the Tilt Assist there are 4 bolts to change (2 on each side.) See the illustration to the left and chart above.

The **Rear** setting has the rocker tube telescoped entirely into the seat frame support tube where the adjustment bolt is in the bottom hole. Along the base frame the bolt is in the top hole. (e.g. accommodates a seat depth that is in the highest end of the seat depth range)

For the Mid setting the adjustment bolt is simply in the middle hole along the rocker tube which telescopes out and the middle hole along the base frame. (e.g. optimal for a seat depth in the middle of the seat depth range)

The **Front** setting has the bolt in the top hole of the rocker tube which is fully telescoped out of the seat frame support tube and in the bottom hole along the base frame. (e.g. accommodates a seat depth in the lowest end of the seat depth range)



Comments				

All prices subject to change without notice.

NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.

Invacare Corporation

www.invacare.com

USA

One Invacare Way Elyria, OH USA 44035-4190 800-333-6900

©2017 Invacare Corporation

All rights reserved. Trademarks are identified by the symbolsTM and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Specifications and prices are subject to change without notification.

Form No. 08-030 Page 8 of 8

