



VELOCE
ORDER FORM - USA

P.O. number: * _____ Date: _____
 Company Name: * _____ Phone: * _____
 Ordered by: * _____
 Clinician/ATP/RTS: _____
 Email: _____
 Marked for: _____


Ship to: * _____
 Name: _____
 Address: _____
 City: _____ State: _____
 Zip Code: _____
 Phone: _____

* Required VEMA032 English Manual (STD) VEMA039 Spanish Manual Taxes not included

| MODEL | | USD | | |
|-------|--|-------|---------|--------------------------|
| 1 | VEWC07 Ultralight VELOCE Wheelchair (with single-sided forks) (265 lb weight limit) | K0005 | \$4 795 | <input type="checkbox"/> |
| 2 | VEWC10 E-Motion adaptor Kit (2 adaptors) | | \$72 | <input type="checkbox"/> |

| SEAT WIDTH ² | | | | | | | | | |
|-------------------------|--------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----|--------------------------|
| 3 | VESW Seat width: | 14" <input type="checkbox"/> | 15" <input type="checkbox"/> | 16" <input type="checkbox"/> | 17" <input type="checkbox"/> | 18" <input type="checkbox"/> | 19" <input type="checkbox"/> | NC | <input type="checkbox"/> |
| 4 | VESW Special seat width: | 20" <input type="checkbox"/> | | | | E2201 | \$495 | | <input type="checkbox"/> |

| SEAT DEPTH | | | | | | | | | |
|------------|--------------------------|---|---|------------------------------|------------------------------|------------------------------|------------------------------|----|--------------------------|
| 5 | VESD Seat depth: | 14" ¹ <input type="checkbox"/> | 15" ¹ <input type="checkbox"/> | 16" <input type="checkbox"/> | 17" <input type="checkbox"/> | 18" <input type="checkbox"/> | 19" <input type="checkbox"/> | NC | <input type="checkbox"/> |
| 6 | VESD Special seat depth: | 20" <input type="checkbox"/> | | | | E2203 | \$475 | | <input type="checkbox"/> |



1 Depth achieved with shorter seat sling.

2. Width calculator

| NEWTON ULTRALIGHT PACKAGE * | | VEPK01 | | |
|--------------------------------------|------------|--------|--------------------------|--|
| Newton Gravity ultralight wheels | Save \$255 | \$768 | <input type="checkbox"/> | |
| Carbon fiber flip-up footplate | | | | |
| Carbon fiber side guards (removable) | | | | |

| NEWTON PERFORMANCE PACKAGE * | | VEPK02 | | |
|----------------------------------|------------|--------|--------------------------|--|
| Newton Gravity ultralight wheels | Save \$277 | \$998 | <input type="checkbox"/> | |
| Carbon fiber flip-up footplate | | | | |
| Carbon fiber mud guards | | | | |

* Newton packages are only compatible with swing-away armrests.

VELOCE - FRONT Seat-to-floor height

| Frame Angle | Height available +/- 1/4" | |
|-------------|---------------------------|----------------------------------|
| 70° | 16 to 19 | Specify desired height: _____ |
| 80° | 16 to 20 | |
| 90° | 16 to 20 | |

| CASTERS | | | | | | |
|---------|--------|---|--------------------------|--|--|--------------------------------|
| 7 | VECA14 | Newton UltraCaster <i>Soft-Roll</i> Composite | 4" x 1 1/2" | | | NC <input type="checkbox"/> |
| 8 | VECA15 | | 5" x 1 1/2" ¹ | | | NC <input type="checkbox"/> |
| 9 | VECA17 | Newton UltraCaster <i>Soft-Roll</i> Aluminum | 4" x 1 1/2" | | | \$175 <input type="checkbox"/> |
| 10 | VECA18 | | 5" x 1 1/2" ¹ | | | \$185 <input type="checkbox"/> |



1: 5" wheels are not available with 90° frames

VELOCE - REAR Seat-to-floor Height

| WHEEL SIZES | Height available | |
|-------------|------------------|----------------------------------|
| 22" wheel | 13 1/2 to 18 1/4 | Specify desired height: _____ |
| 24" wheel | 14 1/2 to 19 1/4 | |
| 25" wheel | 15 to 19 3/4 | |
| 26" wheel | 15 1/2 to 20 1/4 | |

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

| FRONT FRAME ANGLE | | | | | | | |
|---|--------|---|---------------------------------------|--|-------|--------------------------|--|
| 11 | VEFA70 | 70° Fixed Front Frame | | | NC | <input type="checkbox"/> | |
| 12 | VEFA80 | 80° Fixed Front Frame | | | NC | <input type="checkbox"/> | |
| 13 | VEFA90 | 90° Fixed Front Frame | <i>Not compatible with 5" casters</i> | | NC | <input type="checkbox"/> | |
| 14 | VEFA01 | High Mount Footrest Kit (<i>If the difference from seat to floor and footplate length is more than 3.75"</i>) | | | \$185 | <input type="checkbox"/> | |
| Set Length to: | | <i>(Length must be at least 1 3/4" shorter than front seat-to-floor height)</i> | | | | | |
| <i>If not indicated, footrest will be set at 2" from the ground</i> | | | | | | | |



| FOOTPLATES | | | | | | |
|------------|--------|--|--|-------|-------|--------------------------|
| 15 | VEFP06 | One piece adjustable angle flip-up (<i>Aluminum</i>) | | K0040 | NC | <input type="checkbox"/> |
| 16 | VEFP07 | One piece adjustable angle flip-up (<i>Carbon fiber with rubber inserts</i>) | | K0040 | \$435 | <input type="checkbox"/> |
| 17 | VEFP09 | Calf strap | | K0038 | \$35 | <input type="checkbox"/> |
| 18 | VEFP10 | Padded calf strap | | K0038 | \$90 | <input type="checkbox"/> |

Back canes fixed height without push handle

| FIXED ANGLE BACK | | | | | | | | | | | | |
|------------------|--------|--|------|-----------|-------|-------|-----|-------|--|--|------|--------------------------|
| 19 | VEBC03 | Ultralight fixed height carbon fiber back cane ¹ | 9" □ | 12" □ | 15" □ | 18" □ | STD | 21" □ | | | NC | <input type="checkbox"/> |
| 20 | VEBC04 | 8° bend fixed height carbon fiber back cane ¹ | | 13 1/2" □ | 15" □ | 18" □ | STD | 21" □ | | | \$50 | <input type="checkbox"/> |

1 - Not compatible with push handles

Back canes, height adjustable, with option

| FIXED ANGLE BACK | | | | | | | | | | | | |
|-----------------------|--------|---|--------------------|----------------|------------|------------|-----|--------|--------|--|-------|--------------------------|
| 21 | VEBC06 | Height adjustable carbon fiber back cane | 9 - 12" □ | 12 - 15" □ | 15 - 18" □ | 18 - 21" □ | STD | | | | NC | <input type="checkbox"/> |
| 22 | VEBC08 | 8° Bend height adjustable carbon fiber back cane | | 13 1/2 - 15" □ | 15 - 18" □ | 18 - 21" □ | STD | | | | \$50 | <input type="checkbox"/> |
| ADJUSTABLE ANGLE BACK | | | | | | | | | | | | |
| 23 | VEBC09 | Height and angle adjustable carbon fiber back cane | | 12 - 15" □ | 15 - 18" □ | 18 - 21" □ | STD | | | | \$200 | <input type="checkbox"/> |
| 24 | VEBC10 | 8° bend height and angle adjustable carbon fiber back cane | | 13 1/2 - 15" □ | 15 - 18" □ | 18 - 21" □ | STD | | | | \$250 | <input type="checkbox"/> |
| 25 | | Select back cane angle: | 85° □ ¹ | 90° □ | 95° □ | 100° □ | STD | 105° □ | 110° □ | | | |

Set height to: * *(measured from seat sling to top of back upholstery)*

PUSH HANDLE OPTION

| | | | | | | | | | | | | |
|----|--------|----------------------|--|--|--|--|--|--|--|--|----|--------------------------|
| 26 | VEPH01 | Push handles | | | | | | | | | NC | <input type="checkbox"/> |
| 27 | VEPH02 | Without push handles | | | | | | | | | NC | <input type="checkbox"/> |

1- Not available with a 8 degree bend cane

* If not indicated, default height setting is at the lowest position

| BACK UPHOLSTERY | | | | | | | | | | | | |
|-----------------|--------|------------------------------------|--|--|--|--|--|--|-------|--|-------|--------------------------|
| 28 | VEBH01 | Slip on back upholstery | | | | | | | | | STD | <input type="checkbox"/> |
| 29 | VEBH02 | Adjustable tension back upholstery | | | | | | | E2611 | | \$300 | <input type="checkbox"/> |
| 30 | VEBH99 | Omit Back upholstery | | | | | | | | | NC | <input type="checkbox"/> |

| SEAT CUSHION | | | | | | | | | | |
|--------------|--------|-------------------|--|--|--|--|--|--|-------|--------------------------|
| 31 | VESC01 | 2" Cushion | | | | | | | \$165 | <input type="checkbox"/> |
| 32 | VESC02 | 3" Cushion | | | | | | | \$185 | <input type="checkbox"/> |
| 33 | VESC99 | Omit seat cushion | | | | | | | STD | <input type="checkbox"/> |

| REAR WHEELS | | | | | | | | | | | |
|-------------|--------|-----------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|-----------------------------|
| 34 | VERW01 | Mag ¹ | 22" <input type="checkbox"/> | 24" <input type="checkbox"/> | | | | | \$50 | <input type="checkbox"/> | |
| 35 | VERW02 | Newton One - spoke wheel | 22" <input type="checkbox"/> | 24" <input type="checkbox"/> | | | | | NC | <input type="checkbox"/> | |
| 36 | VERW03 | Newton Gravity - ultralight wheel | 22" <input type="checkbox"/> | 24" <input type="checkbox"/> | 25" <input type="checkbox"/> | 26" <input type="checkbox"/> | | | \$300 | <input type="checkbox"/> | |
| 37 | VERW04 | Spinergy Spox | 22" <input type="checkbox"/> | 24" <input type="checkbox"/> | 25" <input type="checkbox"/> | 26" <input type="checkbox"/> | | | \$795 | <input type="checkbox"/> | |
| 38 | | Spinergy Spox spokes colors* | Blk <input type="checkbox"/> | Wht <input type="checkbox"/> | Blue <input type="checkbox"/> | Red <input type="checkbox"/> | Yel <input type="checkbox"/> | | NC | <input type="checkbox"/> | |
| 39 | VERW05 | Spinergy LX | 22" <input type="checkbox"/> | 24" <input type="checkbox"/> | 25" <input type="checkbox"/> | 26" <input type="checkbox"/> | | | \$995 | <input type="checkbox"/> | |
| 40 | | Spinergy LX spokes colors * | Blk <input type="checkbox"/> | Wht <input type="checkbox"/> | Blue <input type="checkbox"/> | Red <input type="checkbox"/> | Yel <input type="checkbox"/> | Pink <input type="checkbox"/> | Grn <input type="checkbox"/> | Org <input type="checkbox"/> | NC <input type="checkbox"/> |

* Colour spokes require an additional 10 days lead-time

1 - HP tires are not available on Mag Wheels -use only aluminum or plastic coated handrim only

| TIRES | | | | | | | | | | |
|-------|--------|--|--|--------------------|-------------|--|--|--|-------|--------------------------|
| | | | | Available | | | | | | |
| 41 | VETI01 | Soft Urethane 1 1/4" | | 22" 24" | | | | | NC | <input type="checkbox"/> |
| 42 | VETI02 | Soft Urethane knobby 1 3/8" | | 22", 24", 25", 26" | | | | | \$95 | <input type="checkbox"/> |
| 43 | VETI04 | Soft Urethane - Shox 1" | | 22", 24", 25", 26" | | | | | \$115 | <input type="checkbox"/> |
| 44 | VETI05 | Pneumatic 1 3/8" | | 22", 24", 25", 26" | E2211/E2212 | | | | NC | <input type="checkbox"/> |
| 45 | VETI08 | Pneumatic 1 3/8" with Airless insert | | 22", 24" | E2211/E2213 | | | | \$80 | <input type="checkbox"/> |
| 46 | VETI06 | Pneumatic HP - 1" * | | 22", 24", 25", 26" | E2211/E2212 | | | | \$95 | <input type="checkbox"/> |
| 47 | VETI07 | Pneumatic HP - Schwalbe Marathon Plus 1" * | | 24", 25", 26" | E2211/E2212 | | | | \$125 | <input type="checkbox"/> |

* Not available with Mag Wheels

| HANDRIM | | | | | | | | | | |
|---------|--------|---|--|--|--|--|--|--|-------|--------------------------|
| 48 | VEHR01 | Aluminum anodized | | | | | | | STD | <input type="checkbox"/> |
| 49 | VEHR07 | Newton Air Grip* Black <input type="checkbox"/> | | | | | | | \$95 | <input type="checkbox"/> |
| 50 | VEHR | Newton Air Grip* (08) Sunkissed Orange <input type="checkbox"/> (09) Burgundy <input type="checkbox"/> (10) Blue Sapphire <input type="checkbox"/> (11) Monster Green <input type="checkbox"/> (12) Charcoal <input type="checkbox"/> (13) Fuchsia <input type="checkbox"/> (14) Steel Blue <input type="checkbox"/> (15) Ferrari Red <input type="checkbox"/> (16) Acid Green <input type="checkbox"/> (17) White <input type="checkbox"/> (18) Sky Blue <input type="checkbox"/> | | | | | | | \$240 | <input type="checkbox"/> |

Assembly position for aluminum and Newton AirGrip handrims

| | | | | | | | | | | |
|----|--------|---|--|--|--|--|--|-----|------|--------------------------|
| 51 | VEHR29 | Standard Handrim position | | | | | | | STD | <input type="checkbox"/> |
| 52 | VEHR30 | Narrow Handrim position machined | | | | | | New | \$25 | <input type="checkbox"/> |
| 53 | VEHR31 | Super Narrow Handrim position machined - (not available in 22") | | | | | | New | \$25 | <input type="checkbox"/> |

| HANDRIM | | | | | | | | | | |
|---------|--------|--|---------------------------------|--------------------------------|--------------------------------|--|--|-------------------|-------------------|--------------------------|
| 54 | VEHR02 | Plastic coated | | | | | | | \$95 | <input type="checkbox"/> |
| 55 | VEHR03 | Q-Grip High friction Neoprene coated* ¹ | | | | | | | \$350 | <input type="checkbox"/> |
| 56 | VEHR28 | Surge* (1-1/2" Oval handrim w/ Gripton high friction strip) | | | | | | New | \$375 | <input type="checkbox"/> |
| 57 | VEHR05 | Surge LT* (1-1/8" Oval handrim w/ Gripton high friction strip) | | | | | | | \$405 | <input type="checkbox"/> |
| 58 | VEHR04 | Natural Fit* Standard Grip (1-1/2" Oval handrim w/standard thumb piece) | | | | | | | \$395 | <input type="checkbox"/> |
| 59 | VEHR25 | Natural Fit* Super Grip (1-1/2" Oval handrim w/super grip thumb piece) | | | | | | New | \$450 | <input type="checkbox"/> |
| 60 | VEHR06 | Bbraver* ² (ultra-performance aluminum handrim , adjustable) | Orange <input type="checkbox"/> | White <input type="checkbox"/> | Black <input type="checkbox"/> | | | 10 days lead-time | Off chair pricing | <input type="checkbox"/> |
| 61 | VEHR99 | Omit handrim | | | | | | | NC | <input type="checkbox"/> |

* Not available with Mag wheels


1 - Not available in 20"

2 - Not available in 20" and 22"

| AXLE | | | | | | | | | | |
|------|--------|--------------------|--|--|--|--|-------|--|-------|--------------------------|
| 62 | VEAX01 | Quick release axle | | | | | | | STD | <input type="checkbox"/> |
| 63 | VEAX03 | Quad release axle | | | | | K0108 | | \$125 | <input type="checkbox"/> |

| REAR WHEEL CAMBER ANGLE | | | | | | | | | | |
|-------------------------|--------|-----------|--|--|--|--|--|--|-------|--------------------------|
| 64 | VECM00 | 0° camber | | | | | | | NC | <input type="checkbox"/> |
| 65 | VECM03 | 3° camber | | | | | | | NC | <input type="checkbox"/> |
| 66 | VECM06 | 6° camber | | | | | | | \$150 | <input type="checkbox"/> |

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

| Most stable | | | | | | | | Most responsive | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1" | 1/4" | 1/2" | 3/4" | 2" | 1/4" | 1/2" | 3/4" | 3" | 1/4" | 1/2" | 3/4" | 4" |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

| WHEEL LOCK | | | | | | |
|------------|------------------|--|--|-------|-------|--------------------------|
| 67 | VEWL08 | Newton Wheel lock - push to lock | | | STD | <input type="checkbox"/> |
| 68 | VEWL02 | Pull to lock | | | NC | <input type="checkbox"/> |
| 69 | VEWL04 | Newton grade aid push to lock (suggested with pneumatic or high pressure tire) | | E0974 | \$150 | <input type="checkbox"/> |
| 70 | VEWL13 VEWL14 | 6" removable extension handle | | E0961 | \$75 | <input type="checkbox"/> |
| 71 | VEWL05 | Scissor Lock | | | \$240 | <input type="checkbox"/> |
| 72 | VEWL99 | Omit wheel locks | | | NC | <input type="checkbox"/> |

| FLIP BACK ARMREST (Convertible to "T" armrest) | | Height Adjustment | | Removable function | | |
|--|--------|---------------------------------------|--------------------------------------|-----------------------------------|---------------------------------|---|
| 73 | VEAR01 | 10" Desk Length | 8 - 12" <input type="checkbox"/> STD | 10 - 14" <input type="checkbox"/> | Locked <input type="checkbox"/> | Unlocked STD \$350 <input type="checkbox"/> |
| 74 | VEAR02 | 14" Full Length | 8 - 12" <input type="checkbox"/> STD | 10 - 14" <input type="checkbox"/> | Locked <input type="checkbox"/> | Unlocked STD \$350 <input type="checkbox"/> |
| "T" ARMREST | | Height Adjustment | | | | |
| 75 | VEAR03 | 10" Desk Length | 8 - 12" <input type="checkbox"/> STD | 10 - 14" <input type="checkbox"/> | | E0973 \$325 <input type="checkbox"/> |
| 76 | VEAR04 | 14" Full Length | 8 - 12" <input type="checkbox"/> STD | 10 - 14" <input type="checkbox"/> | | E0973 \$325 <input type="checkbox"/> |
| GEL ARM PAD - Option for "T" Armrest | | | | | | |
| 77 | VEAR12 | 14" Full Length Arm Pad - Gel Ovation | | | New | SEAND0030 \$150 <input type="checkbox"/> |
| SWING AWAY ARMREST * | | Height Adjustment | | | | |
| 78 | VEAR05 | Tubular arm pad | 8 - 11" | | E0973 | \$225 <input type="checkbox"/> |
| 79 | VEAR06 | 10" Desk length arm pad | 8 - 11" | | E0973 | \$225 <input type="checkbox"/> |

* Could interfere with some rigid back rests

| | | | | | | |
|----|--------|--------------|--|--|--|-----------------------------|
| 80 | VEAR99 | Omit armrest | | | | NC <input type="checkbox"/> |
|----|--------|--------------|--|--|--|-----------------------------|

| SIDE GUARDS (not available with Flip Back and "T" Armrest) | | | | | | |
|--|--------|--------------------------------------|--|--|-------|--------------------------|
| 81 | VESG01 | Plastic side guards (removable) | | | \$195 | <input type="checkbox"/> |
| 82 | VESG02 | Carbon fiber side guards (fixed)* | | | \$250 | <input type="checkbox"/> |
| 83 | VESG03 | Carbon fiber side guards (removable) | | | \$290 | <input type="checkbox"/> |
| 84 | VESG04 | Carbon fiber mud guards (removable) | | | \$540 | <input type="checkbox"/> |

* Not available with back upholstery

| POSITIONING BELT | | | | | | |
|------------------|--------|---|---------------------------------------|-----------------------------------|----------------------------|--------------------------------|
| 85 | VESB01 | Velcro adjustable | Standard 35" <input type="checkbox"/> | Long 60" <input type="checkbox"/> | E0978 | \$45 <input type="checkbox"/> |
| 86 | VESB02 | Auto buckle | Standard 35" <input type="checkbox"/> | Long 60" <input type="checkbox"/> | E0978 | \$85 <input type="checkbox"/> |
| 87 | VESB07 | Hardware attachment for 2 point seatbelt (1 pair) | | | | NC <input type="checkbox"/> |
| 88 | VESB03 | Additional attachment hardware for 4 point seatbelt | | | | \$15 <input type="checkbox"/> |
| 89 | VESB04 | BodyPoint Hip Belt - 2 point not padded | M <input type="checkbox"/> | L <input type="checkbox"/> | | \$80 <input type="checkbox"/> |
| 90 | VESB05 | BodyPoint Hip Belt - 2 point padded | S <input type="checkbox"/> | M <input type="checkbox"/> | L <input type="checkbox"/> | \$150 <input type="checkbox"/> |
| 91 | VESB06 | BodyPoint Hip Belt - 4 point padded | S <input type="checkbox"/> | M <input type="checkbox"/> | L <input type="checkbox"/> | \$190 <input type="checkbox"/> |

| HEADREST * | | | | | | |
|------------|--------|--|--|---|--|--------------------------------|
| 92 | VEAC01 | Profiled Headrest | Small (3.5"x6") <input type="checkbox"/> | Medium (4.5"x7") <input type="checkbox"/> | Large (5.5"x8") <input type="checkbox"/> | \$180 <input type="checkbox"/> |
| 93 | VEAC02 | Headrest mounting hardware with stabiliser bar | | | | \$295 <input type="checkbox"/> |

* Only available with push handles - Not available with a stroller handle or a folding stabiliser bar

| ACCESSORIES | | | | | | | | | | | | | | |
|-------------|--------|---|--|---|------------------------------------|----------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|------------|--|------|--------------------------|
| 94 | VEAC03 | Anti tippers | | | | | E0971 | \$140 | <input type="checkbox"/> | | | | | |
| 95 | VEAC05 | WC-19 Transit Tie Down w/Q'straint belt <i>Not available with the swing away armrest</i> | Short belt 20-41" <input type="checkbox"/> | Long belt 20-46" <input type="checkbox"/> | <i>New</i> | | | \$320 | <input type="checkbox"/> | | | | | |
| 96 | VEAC06 | Cane carrier | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | | E2207 | \$195 | <input type="checkbox"/> | | | | | |
| 97 | VEAC08 | Spoke guards* | Available: 22", 24", 26" | | | | K0065 | \$115 | <input type="checkbox"/> | | | | | |
| 98 | VEAC09 | Footrest neoprene impact guard (pair) | Red <input type="checkbox"/> | Grey <input type="checkbox"/> | Blue <input type="checkbox"/> | Green <input type="checkbox"/> | K0108 | \$90 | <input type="checkbox"/> | | | | | |
| 99 | VEAC10 | Seat pouch | | | | | | \$75 | <input type="checkbox"/> | | | | | |
| 100 | VEAC23 | Newton Backpack | | | <i>New</i> | | | \$120 | <input type="checkbox"/> | | | | | |
| 101 | VEAC12 | Velcro Closing Strap | | | | | | \$50 | <input type="checkbox"/> | | | | | |
| 102 | VEAC13 | Tool kit | | | | | | \$45 | <input type="checkbox"/> | | | | | |
| 103 | VEAC16 | Motion Composites Polo Shirt | W/S <input type="checkbox"/> | W/M <input type="checkbox"/> | W/L <input type="checkbox"/> | M/S <input type="checkbox"/> | M/M <input type="checkbox"/> | M/L <input type="checkbox"/> | M/XL <input type="checkbox"/> | M/XXL <input type="checkbox"/> | <i>New</i> | | \$32 | <input type="checkbox"/> |
| 104 | VEAC15 | Military Patches | Army <input type="checkbox"/> | Navy <input type="checkbox"/> | Air Force <input type="checkbox"/> | Marines <input type="checkbox"/> | | | \$90 | <input type="checkbox"/> | | | | |
| 105 | VEAC15 | Combat Wounded Purple Heart Patch | | | | | | \$90 | <input type="checkbox"/> | | | | | |

* Not available with Mag wheels

| CARBON FIBER FINISH WITH DECALS | | | | | | | | | |
|---------------------------------|--------|----------------------------------|--|--------------------------------|-----------------------------------|--|--|-------|--------------------------|
| 106 | VEFC02 | Carbon finish with decals color: | Red <input type="checkbox"/> | White <input type="checkbox"/> | Charcoal <input type="checkbox"/> | | | NC | <input type="checkbox"/> |
| 107 | VEFC99 | Custom Color | Specify PPG Paintit color: | | | | | \$360 | <input type="checkbox"/> |

| | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|
| TOTAL | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|

Notes :